

Product Compliance Datasheet

MARKETING NAME.....: Dell EMC PowerEdge R740, Dell EMC PowerEdge R740XD

REGULATORY MODEL.....: E38S

REGULATORY TYPE.....: E38S001

EMC EMISSIONS CLASS: A

EFFECTIVE DATE..... March 1, 2020

Table of contents

I.	Statement of Compliance	2
II.	Global Environmental Information	3
III.	Declaration of Similarity	4
IV.	Power Cords and User Documentation	5
V.	Trade (Import/Export) Compliance Data	5
VI.	Product Dimensions and Weight	5
VII.	Performance Data	5
VIII.	Product Materials Information	6
IX.	Packaging	7
Х.	Batteries	7
XI.	Design for Environment	8
XII.	Recycling / End-of-Life Service Information	8
XIII.	Helpful Links	8
Append	lix C: ErP Lot 9 Servers and Data Storage Products: Information for end-users	9



I. Statement of Compliance

This product has been determined to be compliant with the applicable standards, regulations, and directives for the countries where the product is marketed. The product is affixed with regulatory marking and text as necessary for the country/agency. Dell manufacturers and markets Multimedia Equipment (MME), Information Technology Equipment (ITE), Audio Visual Equipment (A/V), Industrial, Scientific, Medical Equipment (ISM) or combinations of these. Generally, products Electromagnetic Compatibility (EMC) and Product Safety compliance is based on International IEC and CISPR standards and their national equivalent along with national standards for Radio (wireless), Telecommunications (Modem) and Energy. Dell products have been verified to comply with the Restriction of Hazardous Substances (RoHS) Directive 2011/65/EU of the European Parliament and the Council. Dell product does not contain any of the restricted substances in concentrations and applications not permitted by the RoHS Directive.

EMC Emissions Class refers to one of the following use environments:

- EMC Class B product is intended for use in residential/domestic environments but may also be used in nonresidential/non-domestic environments.
- EMC Class A product is intended for use in non-residential/non-domestic environments. Class A product may also be utilized in residential/domestic environments but may cause interference and require the user to take adequate corrective measures.

For Product Safety and EMC compliance, this product has been assigned a unique regulatory model and regulatory type that is imprinted on the product regulatory labeling to provide traceability to the regulatory approvals noted on this datasheet. This datasheet applies to any product that utilizes the assigned regulatory model and type including marketing names other than those listed on this datasheet. Dell products with the CE marking have been verified to comply with Energy Related Products (ErP) Directive 2009/125/EC of the European Parliament and of the Council. https://www.dell.com/ErP User Information. REACH (Registration, Evaluation, Authorization and Restriction of Chemicals), Regulation (EC) 1907/2006 of the European Parliament and of the Council is the European Union's (EU) chemical substances regulatory framework. Dell complies with the REACH regulation. For information on SVHC (Substances of Very High Concern), see www.dell.com/REACH. This products compliance documentation, such as this datasheet and the European Union Declaration of Conformity are available on the product support page, manuals tab http://www.dell.com/support. Additional compliance documentation for the product is available upon submitting a request at http://www.dell.com/regulatory_compliance. Please include product identifiers such as marketing name, regulatory model, regulatory type and country that compliance information is needed in the email request.



II. Global Environmental Information

Environmental (Voluntary Marks)			
Country	Approval	Compliance	
Global	ENERGY STAR (Configuration Dependent)	Energy Star 3.0	
China	CECP	Yes	
China	CEC	Yes	
Varies by Country See <u>EPEAT.net</u>	EPEAT (Configuration Dependent)	Refer to EPEAT.net for specific registration levels and countries	

III. Declaration of Similarity

Object of the Declaration		
Product Type	2S Server	
Regulatory Model Number	E38S	
Regulatory Type Number	E38S001	
Trade Name/ Trade Mark	DELL EMC	
Marketing Name(s)	Dell EMC PowerEdge R740	
	Dell EMC PowerEdge R740XD	
	Dell EMC PowerEdge OEM R740xd	
	Dell EMC PowerEdge OEMR R740	
	Dell EMC PowerEdge R740 Telco	
	Dell EMC PowerEdge R740XD Telco	
	Dell EMC Integrated Data Protection	
	Appliance DP4400	
	Dell EMC VxRack SDDC	
	Dell EMC VxRail VXV570	
	Dell EMC VxRail VXV570F	
	Dell EMC VxRail VXS570	
	Dell EMC VxRail VXP570	
	Dell EMC VxRail VXP570F	
	Dell EMC PowerEdge R749	
	Dell EMC Storage NX3240	
	Dell EMC ECS EX300	
	Dell EMC Data Domain DD3300	

Dell Inc. herby declares that the products identified by the product designations listed in this declaration are strictly identical in design (shape, opening, etc.) components, materials, manufacturing process, and markings except for product designation – Trade Name and/or Trade Mark as specified in this declaration.

The products may have very minor differences which do not impact the level of conformity. All products identified by the product designations in this declaration have the same level of conformity according to the certificate(s) provided.

The Trade Name / Trade Mark and/or Marketing Name(s) are the property of Dell Inc. Any differences in the product designation are for marketing purposes only.

Date of Issue	March 01, 2020	Olanastana ara babalt	Dell Inc.
Title		Signature on behalf of Dell Inc.	Compliance and Environmental Affairs

IV. Power Cords and User Documentation

Dell products are provided with the power cord and user documentation suitable for the intended country of delivery. Products that are relocated to other countries should use nationally certified power cords and plugs to ensure safe operation of the product. Contact Dell to determine if alternate power cords or user documentation in other languages is available for your market.

V. Trade (Import/Export) Compliance Data

For any questions related to importing & exporting classification of Dell products, please obtain information from the following link: <u>http://www.dell.com/learn/us/en/uscorp1/import-export</u> or send email request to <u>WW Export Compliance@dell.com</u>. Please include product identifiers such as marketing name, regulatory model, regulatory type and country that compliance information is needed in the email request.

VI. Product Dimensions and Weight

2.5 inch hard drive systems

Depth, mm/cm	Width, mm/cm	Height, mm/cm	Weight, kg
760mm	482mm	87mm	26.3Kg Max

3.5 inch hard drive systems

Depth, mm/cm	Width, mm/cm	Height, mm/cm	Weight, kg
760mm	482mm	87mm	28.6Kg Max

VII. Performance Data

ErP Lot 3, Lot 26 and ErP Lot 9 information is in Appendices A, B and C respectively.

For additional information on how Dell's commitment to energy efficiency benefits you go to: <u>Reducing your Footprint</u>

For additional information on ENERGY STAR models refer to the following database: <u>ENERGY</u> <u>STAR Product Finder</u>



VIII. Product Materials Information

Information on Dell's material use is available <u>here</u>. Dell's Restricted Material for Use guidance document is available at <u>www.dell.com/restrictedsubstanceslist</u>.

- The case material is Steel
- This product contains 0% post-consumer recycled plastic and /or closed loop recycled plastics (ITE-derived)*

(*Measured as a percentage of total amount of plastic (by weight) in the product as per guidance in EPEAT standard as applies to plastics parts)

Mechanical plastic parts ¹ > 25 g are BFR/PVC free	⊠ Yes □ No □ NA
Marking of plastics parts greater than 25 grams is in accordance with ISO 11469 (see below)	🖾 Yes 🗖 No 🗖 NA
Printed circuit boards (without components) >25g are BFR PVC free ²	□Yes ⊠ No □NA
Insulation materials of external electrical cables are PVC free	□Yes ⊠No □NA
Insulation materials of internal electrical cables are PVC free	🗖 Yes 🗵 No 🗖 NA
Product is BFR/PVC Free (Accessories & Options may not be BFR/PVC-Free, refer to spec ENV0199)	□ Yes ⊠ No

Flame Retardants Used in Motherboard

Part	Flame Retardant	
Motherboard	SPB-100	

List applicable R-Phrase(s) or **Flame Retardant Plastic Part Flame Retardant** Marking per ISO Hazard **Resin Material** Marking per (i.e. TBBPA, Statement(s) per 1043-4 ISO triaryl phosphate Name (i.e. FR(16), **EU Directive** 11469:2016 ester, etc.) FR(40), etc.) 67/548/EEG or 1272/2008 Cycoloy->PC+ABS< FR40 V0 N/A **RCY6214** Cycoloy C6200 >PC+ABS< FR40 V0 N/A LEXAN HF V-2 N/A >PC+ABS< **FR40** 1130

Flame Retardants Used in Mechanical Plastic Parts > 25 grams

¹ Mechanical plastic part: plastic parts that do not internally carry an electrical signal such as housings, brackets, bezels, latches, etc. that form the basic structure of the product and/or have mechanical functions. Plastic parts such as fans, connectors, printer fuser assemblies, etc. are not considered "mechanical plastic parts" in the context of this specification. Plastics parts do not contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride (Per Dell Spec ENV0424)

² Dell will adopt the BFR/CFR/PVC-free definition as set forth in the "iNEMI Position Statement on the Definition of 'Low-Halogen' Electronics (BFR/CFR/PVC-Free)." Plastic parts contain <1000 ppm (0.1 percent) of bromine (if the Br source is from BFRs) and <1000 ppm (0.1 percent) of chlorine if the Cl source is from CFRs, PVC or PVC copolymers. All printed circuit board (PCB) and substrate laminates contain bromine/chlorine totaling less than 1,500 ppm (0.15 percent), with maximum chlorine of 900 ppm (0.09 percent) and maximum bromine of 900 ppm (0.09 percent)

Mercury Information

Number of bulbs	Average per bulb
0	0 mg

Additional information:

- Refer to Dell Technologies' <u>Chemical Use Policy</u> for more information on RoHS and REACH.
- Products MSDS (Material Safety Data Sheets):
 - o Batteries: <u>Battery MSDS Documentation and Declaration</u>
 - Printer Toner and Ink: <u>MSDS Documentation</u>

IX. Packaging

Information on Dell's sustainable packaging effort available <u>here</u>. Additional materials restricted in Packaging as per Dell's Material Restricted for Use Standard document can be found at <u>www.dell.com/restrictedsubstanceslist</u>.

Packaging Materials	Total Weight of each Material type, (kg)
Corrugated fiberboard	5.665
EPS	0
EPE	1.44
Molded paper pulp	0
HDPE (including thermoformed)	0
Molded Bamboo	0
LDPE Bags	0
Other, please specify	0

X. Batteries

7

Below is a listing of batteries that could be present in the product:

Battery Description – Batteries	Battery Type	Battery Weight (kg)	
CR-2032 coin cell	Lithium	0.003 kg	
PERC Battery	Lithium Ion	0.016 kg	
NVDIMM Battery	Lithium Ion	0.29 kg	
Rechargeable Battery 1 Cell	Lithium Ion	0.0057	

XI. Design for Environment

Dell systems are, when applicable, designed for easy assembly, disassembly, and servicing. For more information on Dell's Environmental product attributes please visit <u>https://www.dell.com/learn/is/en/iscorp1/dell-environment-greener-products</u>

XII. Recycling / End-of-Life Service Information

Take back and recycling services are offered for this product in certain countries. If you want to dispose of system components, please visit <u>www.dell.com/recyclingworldwide</u> and select the relevant country.

XIII. Helpful Links

- Environmental Policy
 https://i.dell.com/sites/csdocuments/Corporate_corp-Comm_Documents/en/dell-global-environmental-policy.pdf
- Environment Website
 https://www.dell.com/learn/ai/en/aicorp1/dell-environment
- Corporate Social Responsibility Report
 <u>http://www.dell.com/Learn/us/en/uscorp1/report?c=us&l=en&s=corp&delphi:gr=true</u>
- ISO 14001 Certification <u>http://i.dell.com/sites/content/corporate/corp-comm/en/Documents/dell-iso14001-worldwide.pdf</u>
- Materials Restricted for Use
 <u>www.dell.com/restrictedsubstanceslist</u>
- Chemical Use Policy
 http://i.dell.com/sites/doccontent/corporate/environment/en/Documents/chemical-use-policy.pdf
- Product Carbon Footprint
 https://www.dell.com/learn/us/en/uscorp1/corp-comm/environment_carbon_footprint_products
- RoHS Compliance
 https://www.dell.com/learn/us/en/uscorp1/envt-info-materials
- REACH Compliance
 www.dell.com/REACH
- Recycling Information
 http://www.dell.com/recycling
- Supplier Responsibility
 https://www.dell.com/learn/gy/en/gycorp1/cr-social-responsibility

Appendix C: ErP Lot 9 Servers and Data Storage Products: Information for end-users

The EU Commission Regulation (EU) 2019/424 (ErP Lot 9) ANNEX II Section 3.0 defines the information requirements to be provided by Manufacturers. This information is documented below or via a link is provided to a free access website where the information is maintained. A reference column is included to align the information with the format in the annex of the regulation. Where the information has already been recorded in the body of the Product Compliance Datasheet a note is made to avoid duplication.

For any follow up a request should be sent to: http://support.dellproductcompliance.com

Annex II Sect 3.1	Reporting Requirement	Information Requirements / link to free access website
	a reduct time	
a.	product type	reference product compliance datasheet r
b.	manufacturer's name, registered trade name and registered trade address at which they can be contacted;	reference product compliance datasheet
С.	product model number, and if applicable the low-end performance configuration and the high-end performance configuration model numbers;	reference product compliance datasheet
d.	year of manufacture;	07/11/2017
e.	PSU efficiency at 10 % (if applicable), 20 %, 50 % and 100 % of rated output power,	reference ErP Lot 9 power supply table
f.	power factor at 50 % of the rated load level, with the exception of direct current servers, rounded to three decimal places;	reference ErP Lot 9 power supply table
g.	PSU rated power output (Watts), rounded to the nearest integer	reference ErP Lot 9 power supply table
h.	idle state power, expressed in Watts (rounded to the first decimal place)	104.5W
i.	product model number, and if applicable the low-end performance configuration and the high-end performance configuration model numbers;	1 additional 1100W PSU, 3.5" HDDx2, additional 380GB memory, Dual port 1G NIC Card
j.	maximum power, expressed in Watts (rounded to the first decimal place);	638.9W
k.	declared operating condition class,	Operating condition class A2
Ι.	idle state power (Watts) at the higher boundary temperature of the declared operating condition class,	132.8W [limit does not apply]
m.	the active state efficiency and the performance in active state of the server;	33.123
n.	secure data deletion	https://www.dell.com/support/manuals/idrac
0.	list recommended combinations with compatible chassis	Applies to blade servers only
p.	if a product model is part of a server product family, a list of all model configurations that are represented by the model shall be supplied.	All available configurations can be selected on <u>https://www.dell.com</u> for a particular product model

High End Configuration:



Low End Configuration:

Annex II Sect 3.1	Reporting Requirement	Information Requirement / link to free access website
e.	PSU efficiency at 10 % (if applicable), 20 %, 50 % and 100 % of rated output power,	reference ErP Lot 9 server power supply table
f.	power factor at 50 % of the rated load level, with the exception of direct current servers, rounded to three decimal places;	reference ErP Lot 9 server power supply table
g.	PSU rated power output (Watts), rounded to the nearest integer	reference ErP Lot 9 server power supply table
h.	idle state power, expressed in Watts (rounded to the first decimal place)	80.4W
i.	list of all components for additional idle power allowances, if any (additional PSU, HDDs or SSDs, additional memory, additional buffered DDR channels, additional I/O devices);	1 additional 495W PSU, 3.5" HDDx2, additional 92GB memory, Dual port 10G and Dual port 1G NIC card
j.	maximum power, expressed in Watts (rounded to the first decimal place);	180.7W
k.	declared operating condition class,	Operating condition class A2
Ι.	idle state power (Watts) at the higher boundary temperature of the declared operating condition class,	84.9W [limit does not apply]
m.	the active state efficiency and the performance in active state of the server;	12.939

ErP Lot 9 Server Power Supply Table (applicable for high end and low end configurations				
Power Supply Model Number	Link to manufacturer's efficiency report (List of 80 PLUS Certified Power Supplies)			
D2000E-S0				
Z2000E-S1				
D1600E-S0				
D1100E-S0				
D1100E-S3				
D1100E-S4				
L1100E-S1				
E1100D-S0	https://www.plugloadsolutions.com/80PlusPowerSuppliesDetail.aspx?id=26&type=1			
D750E-S6				
D750E-S7				
E750E-S1				
L750E-S0				
D750E-S2				
E495E-S1				
D495E-S1				

Annex II Sect 3.3	Reporting Requirement	Information Requirement / link to free access website
h.	indicative weight range of the following CRMs: (a) Cobalt in the batteries; (b) Neodymium in the HDDs	Contact: http://support.dellproductcompliance.com
i.	instructions on the disassembly operations;	reference user manual in documentation tab on <u>https://www.dell.com/support</u>