
Quantum.



Quantum 6-68043-02 Rev. D StorNext 6 Compatibility Guide, December 2017

Quantum Corporation provides this publication "as is" without warranty of any kind, either express or implied, including but not limited to the implied warranties of merchantability or fitness for a particular purpose. Quantum Corporation may revise this publication from time to time without notice.

COPYRIGHT STATEMENT

© 2017 Quantum Corporation. All rights reserved.

Your right to copy this manual is limited by copyright law. Making copies or adaptations without prior written authorization of Quantum Corporation is prohibited by law and constitutes a punishable violation of the law.

TRADEMARK STATEMENT

Artico, Be Certain (and the Q brackets design), DLT, DXi, DXi Accent, DXi V1000, DXi V2000, DXi V4000, FlexTier, GoVault, Lattus, NDX, the Q logo, the Q Quantum logo, Q-Cloud, Quantum (and the Q brackets design), the Quantum logo, Quantum Be Certain (and the Q brackets design), Quantum Vision, Scalar, StorageCare, StorNext, SuperLoader, Symform, the Symform logo (and design), vmPRO, and Xcellis are either registered trademarks or trademarks of Quantum Corporation and its affiliates in the United States and/or other countries. All other trademarks are the property of their respective owners.

Products mentioned herein are for identification purposes only and may be registered trademarks or trademarks of their respective companies. All other brand names or trademarks are the property of their respective owners.

Quantum specifications are subject to change.

Contents

1.0	StorNext Requirements	4
2.0	System Requirements for Quantum StorNext Metadata Controllers	5
3.0	StorNext and StorNext FX Client RAM, Disk and CPU Requirements	5
4.0	StorNext and StorNext FX Client File System Buffer Cache	6
5.0	StorNext Software Upgrade Matrix	6
6.0	StorNext Appliance Upgrade Matrix	8
7.0	Supported Operating Systems and Platforms	11
8.0	StorNext Client Interoperability	49
9.0	StorNext Virtual Machine Support	50
10.0	General Compatibility with other Products	51
11.0	Quantum Appliance Compatibility	52
12.0	StorNext Browser Support	53
13.0	Supported Quantum Library and Drive List	54
14.0	Supported Non-Quantum Library and Drive List	59
15.0	Advanced Path Failover Compatibility	64
16.0	Xsan Compatibility	66
17.0	StorNext Security	67
18.0	Network File System Support	68
19.0	Data snpolicy Replication Compatibility	69
20.0	FlexTier™ License Compatibility	70
21.0	FlexSync™ Compatibility	70
22.0	QXS Interoperability and Certification	70

1.0 StorNext Requirements

The following requirements must be met before installing StorNext.

- Security-Enhanced Linux (SELinux) is disabled.
- Quantum requires that system clocks be synchronized for proper functionality, and recommends that NTP be used to
 ensure clocks remain synchronized across all nodes.
- The following packages must be installed:
 - o gcc
 - make
- kernel-source (for systems running SUSE Linux)
- kernel-devel (for systems running Red Hat Linux)

Note: The version of the kernel-source or kernel-devel package must correspond to the version of the booted kernel. In addition, the system must have basic utilities installed such as perl, bash, grep, etc. as well as basic libraries. In general, StorNext will not install on a stripped-down installation of Linux.

1.1 Terminology

Acronyms used within the document:

Acronym	Description
APFO	Advanced Path Failover
DDM	Distributed Data Mover
DLC ¹	Distributed LAN Client
DLS ^{2 3}	Distributed LAN Server / Gateway
FX	StorNext FX Client
HA ⁴	High Availability
LTFS	Linear Tape File System
LTS	Long Term Support (Ubuntu)
MDC ⁵	Meta-data Controller
RHEL	Red Hat Enterprise Linux
SLES	SuSE Linux Enterprise Server
sc	File System SAN Client
SN	StorNext
SNFS	StorNext File System
SNSM	StorNext Storage Manager
XWD	Xcellis Workflow Director
XWE	Xcellis Workflow Extender

¹ StorNext Distributed LAN clients can be connected to either Distributed LAN Servers or StorNext G300 appliances.

² Distributed LAN Server on Windows supports up to 128 Distributed LAN Clients.

³ Gateway instrumentation is not available for Windows.

⁴ HA and GUI are supported on StorNext M Series Appliances and supported MDCs.

⁵ Initial availability of StorNext 5 is on StorNext Metadata Appliances.

2.0 System Requirements for Quantum StorNext Metadata Controllers

- StorNext 6 shared file system requires 3GB of memory.
- StorNext 6 managed file systems require 7GB of memory for each file system.
- StorNext requires a minimum of 16 GB on the MDC node(s).
- Running larger Storage Manager deployments requires additional memory for the Storage Manager database, growing up to 48 GB for systems as the number of managed files approaches 1 Billion.
- Additionally, Quantum recommends another 8 GB of RAM on the MDC node(s) for each file system to be used for buffer cache, to take advantage of the performance improvements in StorNext 5.
- For planning purposes, 10B unmanaged and 1.4B managed file counts are a guideline, but are not an absolute or enforced limit. These values reflect our current guidelines for configuring a StorNext solution the number of files and the performance of your solution may vary.
- LTFS StorNext Support and Memory Requirements
 - Reading and writing LTFS tape is slower than ANTF.
 - Trade-off performance for vendor independence.
 - StorNext performance is on par with any other implementation of LTFS.
 - For any MDC or any DDM client running movers and using LTFS there is extra memory needed.
 - LTFS will utilize more memory than ANTF. Each time a tape is opened, the full directory structure is pulled into memory. Thus a potential significant amount of memory is required on top of the normal StorNext requirements.
 - For StorNext, for each file on a tape, there is an associated Object file that contains specific path information. Thus the #'s listed need to be doubled. Running with StorNext, the formula from the site would actually be drives x million files x 2 +1.
 - Example:
 - Customer has 2 million files written to an LTFS tape. Each time that tape is open the minimum amount of memory required is 2 *2 + 1 = 5 GB of memory.
 - If on top of this one has 5 tape drives and the potential of 2 million files on each tape the minimum amount of memory required would be 5 * 2 * 2 + 1 = 21GB.

3.0 StorNext and StorNext FX Client RAM, Disk and CPU Requirements

To install and run the StorNext or StorNext FX client software, the system must meet the following minimum hardware requirements.

For SAN (FC-attached) clients or LAN clients:

- 1 GB RAM
- 500 MB available hard disk space

For SAN clients acting as a Gateway server:

- 2 GB RAM
- 500 MB available hard disk space

Note: Gateway servers may require additional RAM depending on the number of file systems, LAN clients, and NICs used. See "Gateway Server Memory Tuning" in the StorNext User's Guide for Gateway server memory tuning guidelines.

Quantum, StorNext,

4.0 StorNext and StorNext FX Client File System Buffer Cache

Multiple mounted file systems typically share a single buffer cache. A StorNext and StorNext FX client buffer cache is created for each different cachebufsize. By default, all file systems have the same cachebufsize of 64K, so they all share the same buffer cache.

These settings do not apply to Apple Xsan Clients, which do not use the StorNext buffer cache.

The amount of memory consumed by default for each cachebufsize depends on the platform type and the amount of memory in the system. The table below shows the default amount of memory consumed by cachebufsize.

A platform with more than 2 GB of memory will use a cachebufsize of 256MB, otherwise 64MB will be used.

To see information about the buffer cache after mounting file systems, use the **cvdb(1)** command with the **-b** option. To change the amount of memory used by the buffer cache at mount time, use the **buffercachecap** parameter.

On Windows, the non-paged pool is used for buffer cache memory until it consumes up to 64 megabytes (32-bit systems) or 64 gigabytes (64-bit systems). Any additional buffer cache memory comes from the paged pool.

5.0 StorNext Software Upgrade Matrix

Sites running the following StorNext versions may upgrade directly to this release assuming the platform, service pack, architecture (x86 and compatible and Intel 64 and compatible), and StorNext component(s) are supported in this release.

All other versions of StorNext require additional steps to upgrade to this release.

Customers who remain current can generally upgrade to the latest release in a single update or upgrade. Customers who fall behind on updates or upgrades require more complex procedures and should contact Quantum Professional Services.

Important Notes

- StorNext 4.7.1 cannot upgrade to StorNext 5.0.0. This upgrade is not supported.
- StorNext 4.7.1 can upgrade to StorNext 5.0.1 (or later). This upgrade is supported.
- Releases prior to StorNext 4.3.2 must upgrade to StorNext 4.3.2; StorNext 4.3.2 can be upgraded to StorNext 5.4.0.2 (or later).
- Releases of StorNext 4.3.2 through StorNext 4.7.3 must upgrade to StorNext 5.4.0.2 (or later) before upgrading to StorNext 6.0.0.
- If your system is running StorNext 5.4.0.3 with Storage Manager, read and execute the instructions in <u>Product Alert Number 48</u> when upgrading to later versions of StorNext.
- Any release of StorNext 5.x can upgrade directly to StorNext 6.0.0 and StorNext 6.0.1.
- StorNext 5.3.0 (or later) can to upgrade directly to StorNext 6.0.5.
- StorNext 6.0.1.1 is not available as a software only release.

StorNext Software Supported Upgrades / Updates																								
StorNext 4.3.2 StorNext 4.3.2 StorNext 4.7.1 StorNext 4.7.2 StorNext 4.7.2 StorNext 5 Release 5.0.1 StorNext 5 Release 5.2.0 StorNext 5 Release 5.2.2 StorNext 5 Release 5.2.2 StorNext 5 Release 5.3.0 StorNext 5 Release 5.3.0 StorNext 5 Release 5.3.0 StorNext 5 Release 5.4.0.2 StorNext 5 Release 5.4.0.2 StorNext 5 Release 5.4.0.3 StorNext 5 Release 5.4.0.3 StorNext 5 Release 5.4.0.3 StorNext 5 Release 5.4.0.4 StorNext 5 Release 5.4.0.4 StorNext 5 Release 5.4.0.4 StorNext 6.0.0															StorNext 6.0.1									
Can upgrade / update to StorNext Release																								
StorNext 5	✓	✓	✓	✓																				
StorNext 5 Release 5.0.1	✓	✓	✓	✓	✓			✓																
StorNext 5 Release 5.1.0	✓	✓	✓	✓	✓			✓	✓															
StorNext 5 Release 5.1.1	✓	✓	✓	✓	✓			✓	✓	✓														
StorNext 5 Release 5.2.0	✓	✓	✓	✓	✓	✓		✓	✓	✓	✓													
StorNext 5 Release 5.2.0.1	✓	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓												
StorNext 5 Release 5.2.1	✓	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓	✓											
StorNext 5 Release 5.2.2	✓	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓										
StorNext 5 Release 5.3.0	✓	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓									
StorNext 5 Release 5.3.1	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓								
StorNext 5 Release 5.3.2	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓							
StorNext 5 Release 5.4.0.1	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓						
StorNext 5 Release 5.4.0.2	✓	✓	√	✓	✓	✓	✓	√	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓						
Upgrades to 5.4.0.3 are not supported																								
StorNext 5 Release 5.4.0.4	✓	✓	✓	√	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	√	✓	✓	✓	✓			
StorNext 6.0								✓	✓	✓	✓	✓	✓	✓	✓	✓	√	✓	✓	✓	✓	✓		
StorNext 6.0.1								✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
StorNext 6.0.5																✓	✓	✓	✓	✓	✓	✓	✓	✓

6.0 StorNext Appliance Upgrade Matrix

Important Notes

- Appliances running StorNext 4.7.0 must update to release 4.7.0.1 before updating to later StorNext versions.
- The M330 Metadata Appliance upgrade to StorNext 5 release 5.2.0 or StorNext 5 release 5.2.1 is only permitted from StorNext 5 release 5.1.0.
- The M330 Metadata Appliance upgrade to StorNext 5 Release 5.3.1 is only permitted from StorNext 5 Release 5.2, or StorNext 5 Release 5.2.1.
- The M330 Metadata Appliance cannot upgrade to StorNext 5 Release 5.3.2 (or later). This upgrade is not supported.
- Appliances must be running StorNext 5 Release 5.3.1.x in order to update to StorNext 5 Release 5.3.2.1.
- Appliances must be running StorNext 5.4.0.x in order to upgrade to StorNext 5.4.0.4.
- Appliance upgrades to StorNext 5.4.0.1 are not supported; however, if your system is already running StorNext 5.4.0.1, then you can upgrade to StorNext 5.4.0.4.
- If your system is running StorNext 5.4.0.3 with Storage Manager, then you must read and execute the instructions in Product Alert Number 48 when upgrading to later versions of StorNext.
- Appliances running StorNext versions 4.3.2 through StorNext 4.7.3 must upgrade to StorNext 5.4.0.2 before
 upgrading to StorNext 6.0.x.
- StorNext 5.3.0 (or later) can to upgrade directly to StorNext 6.0.5.

Quantum Appliance Supported Upgrades / Updates													
	MDCs at StorNext Release	StorNext 4.3.2	StorNext 4.3.3	StorNext 4.7	StorNext 4.7.0.1	StorNext 4.7.1	StorNext 4.7.2	StorNext 4.7.3					
Can upgrade / update to StorNext Release													
StorNext 5													
StorNext 5 Release 5.0.1													
StorNext 5 Release 5.1.0		✓	✓		✓	✓							
StorNext 5 Release 5.1.1		✓	✓		✓	✓							
StorNext 5 Release 5.2.0		✓	✓		✓	✓							
StorNext 5 Release 5.2.0.1		✓	✓		✓	✓							
StorNext 5 Release 5.2.0.2		✓	✓		✓	✓							
StorNext 5 Release 5.2.1					✓	✓							
StorNext 5 Release 5.2.2					✓	✓							
StorNext 5 Release 5.3.0					✓	✓							
StorNext 5 Release 5.3.1					✓	✓							

Quantum Appliance Supported Upgrades / Updates												
	MDCs at StorNext Release	StorNext 4.3.2	StorNext 4.3.3	StorNext 4.7	StorNext 4.7.0.1	StorNext 4.7.1	StorNext 4.7.2	StorNext 4.7.3				
StorNext 5 Release 5.3.1.1 ⁶												
StorNext 5 Release 5.3.2.1												
StorNext 5 Release 5.4.0.1												
StorNext 5 Release 5.4.0.2		✓	✓	✓	✓	✓	✓	✓				
Upgrades to StorNext 5.4.0.3 are not supported												
StorNext 5 Release 5.4.0.4												
StorNext 6.0.x												

Quantum Appliance Supported Upgrades / Updates (continued)																				
MDCs at StorNext Release	StorNext 5		StorNext 5 Release 5.1.0	StorNext 5 Release 5.1.1	StorNext 5 Release 5.2.0	StorNext 5 Release 5.2.0.1	StorNext 5 Release 5.2.0.2	StorNext 5 Release 5.2.1	StorNext 5 Release 5.2.2	StorNext 5 Release 5.3.0	StorNext 5 Release 5.3.1	StorNext 5 Release 5.3.1.1	StorNext 5 Release 5.3.2.1	StorNext 5 Release 5.4.0.1	StorNext 5 Release 5.4.0.2	StorNext 5 Release 5.4.0.3	StorNext 5 Release 5.4.0.4	StorNext 6.0	StorNext 6.0.1	StorNext 6.0.1.1
Can upgrade / update to StorNext Release																				
StorNext 5																				
StorNext 5 Release 5.0.1	✓																			
StorNext 5 Release 5.1.0	✓	✓																		
StorNext 5 Release 5.1.1	✓	✓	✓																	
StorNext 5 Release 5.2.0	✓	✓	✓	✓																
StorNext 5 Release 5.2.0.1	✓	✓	✓	✓	✓															
StorNext 5 Release 5.2.0.2	✓	✓	✓	✓	✓	✓														
StorNext 5 Release 5.2.1	✓	✓	✓	✓	✓	✓	✓													
StorNext 5 Release 5.2.2	✓	✓	✓	✓	✓	✓	✓	✓												
StorNext 5 Release 5.3.0	✓	✓	✓	✓	✓	✓	✓	✓	✓											

Quantum Appliance Supported Upgrades / Updates (continued)																				
MDCs af StorNext Release	StorNext 5	StorNext 5 Release 5.0.1	StorNext 5 Release 5.1.0	StorNext 5 Release 5.1.1	StorNext 5 Release 5.2.0	StorNext 5 Release 5.2.0.1	StorNext 5 Release 5.2.0.2	StorNext 5 Release 5.2.1	StorNext 5 Release 5.2.2	StorNext 5 Release 5.3.0	StorNext 5 Release 5.3.1	StorNext 5 Release 5.3.1.1	StorNext 5 Release 5.3.2.1	StorNext 5 Release 5.4.0.1	StorNext 5 Release 5.4.0.2	StorNext 5 Release 5.4.0.3	StorNext 5 Release 5.4.0.4	StorNext 6.0	StorNext 6.0.1	StorNext 6.0.1.1
StorNext 5 Release 5.3.1	✓	✓	✓	✓	✓	✓	✓	✓	√	√										
StorNext 5 Release 5.3.1.1 ⁶										√	√									
StorNext 5 Release 5.3.2.1											>	✓								
StorNext 5 Release 5.4.0.1																				
StorNext 5 Release 5.4.0.2	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓						
Upgrades to StorNext 5.4.0.3 are not supported																				
StorNext 5 Release 5.4.0.4														✓	✓	✓				
StorNext 6.0	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			
StorNext 6.0.1	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
StorNext 6.0.1.1 ⁷	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
StorNext 6.0.5										✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

 $^{^6}$ 5.3.1.1 is only available for Xcellis Workflow Directors 7 6.0.1.1 is only available for CentOS 7

7.0 Supported Operating Systems and Platforms

Note: HA and GUI are only supported on StorNext M Series Appliances and supported MDCs. Only 64-bit platforms are supported.

Note: StorNext does not install or start on a system today that has Red Hat Security-Linux (SELinux) enabled. There are checks in several configuration files and daemons that prevent the installation and use of StorNext with Red Hat Security-Linux (SELinux). There are no plans to add support for Red Hat Security-Linux (SELinux) at this time.

Windows Vista	SP1 and SP2
See Footnotes:	

Kernel:	n/a						
	MDC	SNSM	DDM	DLS	SAN	DLC	FX
StorNext 5					✓	✓	
5.0.1					✓	✓	✓
5.1.0					✓	✓	✓
5.1.1					✓	✓	✓
5.2.0.x					✓	✓	✓
5.2.1					✓	✓	✓
5.2.2					✓	✓	✓
5.3.0					✓	✓	✓
5.3.1.x							
5.3.2.x							
5.4.0.1							

Windows Server 2008

SP1 and SP2

See Footnotes: 8

Kernel:	n/a						
	MDC	SNSM	DDM	DLS	SAN	DLC	FX
StorNext 5				✓	✓	✓	
5.0.1				✓	✓	✓	✓
5.1.0	✓			✓	✓	✓	✓
5.1.1				✓	✓	✓	✓
5.2.0.x	✓			✓	✓	✓	✓
5.2.1	✓			✓	✓	✓	✓
5.2.2	✓			✓	✓	✓	✓
5.3.0	✓			✓	✓	✓	✓
5.3.1.x	✓			✓	✓	✓	✓
5.3.2.x							
5.4.0.1							

RedHat Enterprise Linux is specified at the update level. Unless otherwise noted, kernel releases up to and including the release listed in this document is supported. Those beyond the kernel version listed are not supported. SuSE Enterprise Linux is specified at the Service Pack level. Unless otherwise noted, kernel releases up to and including the release listed in this document is supported. Those beyond the kernel version listed are not supported. Debian support is specified at the level of X.Y release levels. Ubuntu support is specified at the level of X.Y.Z release levels.

⁸Windows service pack levels listed indicate the supported versions. "Dot" releases, like Windows 8.1, are distinct and not supported unless called out.

Windows Server 2008

R2 and R2 SP1

See Footnotes: 8

Kernel:	n/a						
	MDC	SNSM	DDM	DLS	SAN	DLC	FX
StorNext 5				✓	✓	✓	
5.0.1				✓	✓	✓	✓
5.1.0	✓			✓	✓	✓	✓
5.1.1				✓	✓	✓	✓
5.2.0.x	✓			✓	✓	✓	✓
5.2.1	✓			✓	✓	✓	✓
5.2.2	✓			✓	✓	✓	✓
5.3.0	✓			✓	✓	✓	✓
5.3.1.x	✓			✓	✓	✓	✓
5.3.2.x	✓			✓	✓	✓	✓
5.4.0.1	✓			✓	✓	✓	✓
5.4.0.2	✓			✓	✓	✓	✓
5.4.0.3	✓			✓	✓	✓	✓
5.4.0.4	✓			✓	✓	✓	✓
StorNext 6.0.x	✓			✓	✓	✓	✓

Windows 7 Base and SP1

See Footnotes: 8

Kernel: n/a

	MDC	SNSM	DDM	DLS	SAN	DLC	FX
StorNext 5					✓	✓	
5.0.1					✓	✓	✓
5.1.0					✓	✓	✓
5.1.1					✓	✓	✓
5.2.0.x					✓	✓	✓
5.2.1					✓	✓	✓
5.2.2					✓	✓	✓
5.3.0					✓	✓	✓
5.3.1.x					✓	✓	✓
5.3.2.x					✓	✓	✓
5.4.0.1					✓	✓	✓
5.4.0.2					✓	✓	✓
5.4.0.3					✓	✓	✓
5.4.0.4					✓	✓	✓

Windows 8 Base
See Footnotes: 8

	MDC	SNSM	DDM	DLS	SAN	DLC	FX
StorNext 5					✓	✓	
5.0.1					✓	✓	✓
5.1.0					✓	✓	✓
5.1.1					✓	✓	✓
5.2.0.x					✓	✓	✓
5.2.1					✓	✓	✓
5.2.2					✓	✓	✓
5.3.0					✓	✓	✓
5.3.1.x					✓	✓	✓
5.3.2.x					✓	✓	✓
5.4.0.1					✓	✓	✓
5.4.0.2					✓	✓	✓
5.4.0.3					✓	✓	✓
5.4.0.4					✓	✓	✓
StorNext 6.0.x					✓	✓	✓

Windows 8.1 Base
See Footnotes: 8

	MDC	SNSM	DDM	DLS	SAN	DLC	FX
StorNext 5							
5.0.1					✓	✓	✓
5.1.0					✓	✓	✓
5.1.1					✓	✓	✓
5.2.0.x					✓	✓	✓
5.2.1					✓	✓	✓
5.2.2					✓	✓	✓
5.3.0					✓	✓	✓
5.3.1.x					✓	✓	✓
5.3.2.x					✓	✓	✓
5.4.0.1					✓	✓	✓
5.4.0.2					✓	✓	✓
5.4.0.3					✓	✓	✓
5.4.0.4					✓	✓	✓
StorNext 6.0.x					✓	✓	✓

Windows 10 Base
See Footnotes: 8

	MDC	SNSM	DDM	DLS	SAN	DLC	FX
StorNext 5							
5.0.1							
5.1.0							
5.1.1							
5.2.0.x							
5.2.1							
5.2.2							
5.3.0					✓	✓	✓
5.3.1.x					✓	✓	✓
5.3.2.x					✓	✓	✓
5.4.0.1					✓	✓	✓
5.4.0.2					✓	✓	✓
5.4.0.3					✓	✓	✓
5.4.0.4					✓	✓	✓
StorNext 6.0.x					✓	✓	✓

Windows Server 2012

Base

See Footnotes:

	MDC	SNSM	DDM	DLS	SAN	DLC	FX
StorNext 5				✓	✓	✓	
5.0.1				✓	✓	✓	✓
5.1.0	✓			✓	✓	✓	✓
5.1.1				✓	✓	✓	✓
5.2.0.x	✓			✓	✓	✓	✓
5.2.1	✓			✓	✓	✓	✓
5.2.2	✓			✓	✓	✓	✓
5.3.0	✓			✓	✓	✓	✓
5.3.1.x	✓			✓	✓	✓	✓
5.3.2.x	✓			✓	✓	✓	✓
5.4.0.1	✓			✓	✓	✓	✓
5.4.0.2	✓			✓	✓	✓	✓
5.4.0.3	✓			✓	✓	✓	✓
5.4.0.4	✓			✓	✓	✓	✓
StorNext 6.0.x	✓			✓	✓	✓	✓

Windows Server 2012

R2

See Footnotes:

Kernel: n/a

	MDC	SNSM	DDM	DLS	SAN	DLC	FX
StorNext 5							
5.0.1				✓	✓	✓	✓
5.1.0	✓			✓	✓	✓	✓
5.1.1				✓	✓	✓	✓
5.2.0.x	✓			✓	✓	✓	✓
5.2.1	✓			✓	✓	✓	✓
5.2.2	✓			✓	✓	✓	✓
5.3.0	✓			✓	✓	✓	✓
5.3.1.x	✓			✓	✓	✓	✓
5.3.2.x	✓			✓	✓	✓	✓
5.4.0.1	✓			✓	✓	✓	✓
5.4.0.2	✓			✓	✓	✓	✓
5.4.0.3	✓			✓	✓	✓	✓
5.4.0.4	✓			✓	✓	✓	✓
StorNext 6.0.x	✓			✓	✓	✓	✓

Windows Server 2016

See Footnotes:

	MDC	SNSM	DDM	DLS	SAN	DLC	FX
StorNext 6.0.x					✓	✓	

Update 4 Red Hat 5

See Footnotes: 8, 9, 10, 11

Kernel: 2.6.18-164.EL

	MDC	SNSM	DDM	DLS	SAN	DLC	FX
StorNext 5			✓	✓	✓	✓	
5.0.1			✓	✓	✓	✓	✓
5.1.0	✓	✓	✓	✓	✓	✓	✓
5.1.1			✓	✓	✓	✓	✓
5.2.0.x	✓	✓	✓	✓	✓	✓	✓
5.2.1	✓	✓	✓	✓	✓	✓	✓
5.2.2	✓	✓	✓	✓	✓	✓	✓
5.3.0							
5.3.1.x							
5.3.2.x							
5.4.0.1	`						

Update 5 Red Hat 5 See Footnotes: 8, 9, 10, 11

Kernel: 2.6.18-194.EL

	MDC	SNSM	DDM	DLS	SAN	DLC	FX
StorNext 5			✓	✓	✓	✓	
5.0.1			✓	✓	✓	✓	✓
5.1.0	✓	✓	✓	✓	✓	✓	✓
5.1.1			✓	✓	✓	✓	✓
5.2.0.x	✓	✓	✓	✓	✓	✓	✓
5.2.1	✓	✓	✓	✓	✓	✓	✓
5.2.2	✓	✓	✓	✓	✓	✓	✓
5.3.0							
5.3.1.x							
5.3.2.x							
5.4.0.1							

⁹ The "Xen" virtualization software is not supported.

¹⁰ HBA multipath customers: please verify with your HBA vendor that your current multipath driver is supported for any planned Linux OS version/update/service pack level. If your driver is not supported for your planned Linux OS version/update/service pack, the StorNext client or server may not be functional after your Linux upgrade.

¹¹ RHEL developer packs are not part of the standard distribution and are not supported.

Red Hat 5 Update 6
See Footnotes: 8, 9, 10, 11

Kernel: 2.6.18-238.EL

	MDC	SNSM	DDM	DLS	SAN	DLC	FX
StorNext 5			✓	✓	✓	✓	
5.0.1			✓	✓	✓	✓	✓
5.1.0	✓	✓	✓	✓	✓	✓	✓
5.1.1			✓	✓	✓	✓	✓
5.2.0.x	✓	✓	✓	✓	✓	✓	✓
5.2.1	✓	✓	✓	✓	✓	✓	✓
5.2.2	✓	✓	✓	✓	✓	✓	✓
5.3.0							
5.3.1.x							
5.3.2.x							
5.4.0.1	·						

Red Hat 5 Update 7
See Footnotes: 8, 9, 10, 11

Kernel: 2.6.18-274.EL

	MDC	SNSM	DDM	DLS	SAN	DLC	FX
StorNext 5			✓	✓	✓	✓	
5.0.1			✓	✓	✓	✓	✓
5.1.0	✓	✓	✓	✓	✓	✓	✓
5.1.1			✓	✓	✓	✓	✓
5.2.0.x	✓	✓	✓	✓	✓	✓	✓
5.2.1	✓	✓	✓	✓	✓	✓	✓
5.2.2	✓	✓	✓	✓	✓	✓	✓
5.3.0							
5.3.1.x							
5.3.2.x							
5.4.0.1	·						

Red Hat 5 Update 8
See Footnotes: 8, 9, 10, 11

Kernel: 2.6.18-308.EL

	MDC	SNSM	DDM	DLS	SAN	DLC	FX
StorNext 5			✓	✓	✓	✓	
5.0.1			✓	✓	✓	✓	✓
5.1.0	✓	✓	✓	✓	✓	✓	✓
5.1.1			✓	✓	✓	✓	✓
5.2.0.x	✓	✓	✓	✓	✓	✓	✓
5.2.1	✓	✓	✓	✓	✓	✓	✓
5.2.2	✓	✓	✓	✓	✓	✓	✓
5.3.0							
5.3.1.x							
5.3.2.x							
5.4.0.1	·						

Red Hat 5 Update 9
See Footnotes: 8, 9, 10, 11

Kernel: 2.6.18-348.EL

	MDC	SNSM	DDM	DLS	SAN	DLC	FX
StorNext 5			✓	✓	✓	✓	
5.0.1			✓	✓	✓	✓	✓
5.1.0	✓	✓	✓	✓	✓	✓	✓
5.1.1			✓	✓	✓	✓	✓
5.2.0.x	✓	✓	✓	✓	✓	✓	✓
5.2.1	✓	✓	✓	✓	✓	✓	✓
5.2.2	✓	✓	✓	✓	✓	✓	✓
5.3.0							
5.3.1.x							
5.3.2.x							
5.4.0.1	·						

Red Hat 5 Update 10 See Footnotes: 8, 9, 10, 11

Kernel: 2.6.18-371.EL

	MDC	SNSM	DDM	DLS	SAN	DLC	FX
StorNext 5							
5.0.1			✓	✓	✓	✓	✓
5.1.0	✓	✓	✓	✓	✓	✓	✓
5.1.1			✓	✓	✓	✓	✓
5.2.0.x	✓	✓	✓	✓	✓	✓	✓
5.2.1	✓	✓	✓	✓	✓	✓	✓
5.2.2	✓	✓	✓	✓	✓	✓	✓
5.3.0							
5.3.1.x							
5.3.2.x							
5.4.0.1							

Red Hat 6 Base

See Footnotes: 8, 9, 10, 11

Kernel: 2.6.32-71.EL

110111011	210102 7 111						
	MDC	SNSM	DDM	DLS	SAN	DLC	FX
StorNext 5			✓	✓	✓	✓	
5.0.1			✓	✓	✓	✓	✓
5.1.0	✓	✓	✓	✓	✓	✓	✓
5.1.1			✓	✓	✓	✓	✓
5.2.0.x	✓	✓	✓	✓	✓	✓	✓
5.2.1	✓	✓	✓	✓	✓	✓	✓
5.2.2	✓	✓	✓	✓	✓	✓	✓
5.3.0	✓	✓	✓	✓	✓	✓	✓
5.3.1.x							
5.3.2.x							
5.4.0.1							

Red Hat 6 Update 1

See Footnotes: 8, 9, 10, 11

Kernel: 2.6.32-131.0.15.EL

	MDC	SNSM	DDM	DLS	SAN	DLC	FX
StorNext 5			✓	✓	✓	✓	
5.0.1			✓	✓	✓	✓	✓
5.1.0	✓	✓	✓	✓	✓	✓	✓
5.1.1			✓	✓	✓	✓	✓
5.2.0.x	✓	✓	✓	✓	✓	✓	✓
5.2.1	✓	✓	✓	✓	✓	✓	✓
5.2.2	✓	✓	✓	✓	✓	✓	✓
5.3.0	✓	✓	✓	✓	✓	✓	✓
5.3.1.x	✓	✓	✓	✓	✓	✓	✓
5.3.2.x	✓	✓	✓	✓	✓	✓	✓
5.4.0.1	✓	✓	✓	✓	✓	✓	✓
5.4.0.2	✓	✓	✓	✓	✓	✓	✓
5.4.0.3	✓	✓	✓	✓	✓	✓	✓
5.4.0.4	✓	✓	✓	✓	✓	✓	✓

Red Hat 6 Update 2

See Footnotes: 8, 9, 10, 11

Kernel: 2.6.32-220.EL

	MDC	SNSM	DDM	DLS	SAN	DLC	FX
StorNext 5			✓	✓	✓	✓	
5.0.1			✓	✓	✓	✓	✓
5.1.0	✓	✓	✓	✓	✓	✓	✓
5.1.1			✓	✓	✓	✓	✓
5.2.0.x	✓	✓	✓	✓	✓	✓	✓
5.2.1	✓	✓	✓	✓	✓	✓	✓
5.2.2	✓	✓	✓	✓	✓	✓	✓
5.3.0	✓	✓	✓	✓	✓	✓	✓
5.3.1.x	✓	✓	✓	✓	✓	✓	✓
5.3.2.x	✓	✓	✓	✓	✓	✓	✓
5.4.0.1	✓	✓	✓	✓	✓	✓	✓
5.4.0.2	✓	✓	✓	✓	✓	✓	✓
5.4.0.3	✓	✓	✓	✓	✓	✓	✓
5.4.0.4	✓	✓	✓	✓	✓	✓	✓

Red Hat 6 Update 3

See Footnotes: 8, 9, 10, 11

Kernel: 2.6.32-279.EL

	MDC	SNSM	DDM	DLS	SAN	DLC	FX
StorNext 5			✓	✓	✓	✓	
5.0.1			✓	✓	✓	✓	✓
5.1.0	✓	✓	✓	✓	✓	✓	✓
5.1.1			✓	✓	✓	✓	✓
5.2.0.x	✓	✓	✓	✓	✓	✓	✓
5.2.1	✓	✓	✓	✓	✓	✓	✓
5.2.2	✓	✓	✓	✓	✓	✓	✓
5.3.0	✓	✓	✓	✓	✓	✓	✓
5.3.1.x	✓	✓	✓	✓	✓	✓	✓
5.3.2.x	✓	✓	✓	✓	✓	✓	✓
5.4.0.1	✓	✓	✓	✓	✓	✓	✓
5.4.0.2	✓	✓	✓	✓	✓	✓	✓
5.4.0.3	✓	✓	✓	✓	✓	✓	✓
5.4.0.4	✓	✓	✓	✓	✓	✓	✓

Red Hat 6 Update 4
See Footnotes: 8, 9, 10, 11

0, 3, 10, 11

Kernel: 2.6.32-358.EL

	MDC	SNSM	DDM	DLS	SAN	DLC	FX
StorNext 5			✓	✓	✓	✓	
5.0.1			✓	✓	✓	✓	✓
5.1.0	✓	✓	✓	✓	✓	✓	✓
5.1.1			✓	✓	✓	✓	✓
5.2.0.x	✓	✓	✓	✓	✓	✓	✓
5.2.1	✓	✓	✓	✓	✓	✓	✓
5.2.2	✓	✓	✓	✓	✓	✓	✓
5.3.0	✓	✓	✓	✓	✓	✓	✓
5.3.1.x	✓	✓	✓	✓	✓	✓	✓
5.3.2.x	✓	✓	✓	✓	✓	✓	✓
5.4.0.1	✓	✓	✓	✓	✓	✓	✓
5.4.0.2	✓	✓	✓	✓	✓	✓	✓
5.4.0.3	✓	✓	✓	✓	✓	✓	✓
5.4.0.4	✓	✓	✓	✓	✓	✓	✓

Red Hat 6 Update 5

See Footnotes: 8, 9, 10, 11

Kernel: 2.6.32-431.EL

	MDC	SNSM	DDM	DLS	SAN	DLC	FX
StorNext 5							
5.0.1			✓	✓	✓	✓	✓
5.1.0	✓	✓	✓	✓	✓	✓	✓
5.1.1			✓	✓	✓	✓	✓
5.2.0.x	✓	✓	✓	✓	✓	✓	✓
5.2.1	✓	✓	✓	✓	✓	✓	✓
5.2.2	✓	✓	✓	✓	✓	✓	✓
5.3.0	✓	✓	✓	✓	✓	✓	✓
5.3.1.x	✓	✓	✓	✓	✓	✓	✓
5.3.2.x	✓	✓	✓	✓	✓	✓	✓
5.4.0.1	✓	✓	✓	✓	✓	✓	✓
5.4.0.2	✓	✓	✓	✓	✓	✓	✓
5.4.0.3	✓	✓	✓	✓	✓	✓	✓
5.4.0.4	✓	✓	✓	✓	✓	✓	✓

Red Hat 6 Update 6
See Footnotes: 8, 9, 10, 11

., ., ., ., ..

Kernel: 2.6.32-504.EL

						1	,
	MDC	SNSM	DDM	DLS	SAN	DLC	FX
StorNext 5							
5.0.1							
5.1.0							
5.1.1							
5.2.0.x							
5.2.1	✓	✓	✓	✓	✓	✓	✓
5.2.2	✓	✓	✓	✓	✓	✓	✓
5.3.0	✓	✓	✓	✓	✓	✓	✓
5.3.1.x	✓	✓	✓	✓	✓	✓	✓
5.3.2.x	✓	✓	✓	✓	✓	✓	✓
5.4.0.1	✓	✓	✓	✓	✓	✓	✓
5.4.0.2	✓	✓	✓	✓	✓	✓	✓
5.4.0.3	✓	✓	✓	✓	✓	✓	✓
5.4.0.4	✓	✓	✓	✓	✓	✓	✓
6.0.x	✓	✓	✓	✓	✓	✓	✓

Red Hat 6 Update 7

See Footnotes: 8, 9, 10, 11

Kernel: 2.6.32-573.EL

	MDC	SNSM	DDM	DLS	SAN	DLC	FX
StorNext 5							
5.0.1							
5.1.0							
5.1.1							
5.2.0.x							
5.2.1							
5.2.2							
5.3.0							
5.3.1.x	✓	✓	✓	✓	✓	✓	✓
5.3.2.x	✓	✓	✓	✓	✓	✓	✓
5.4.0.1	✓	✓	✓	✓	✓	✓	✓
5.4.0.2	✓	✓	✓	✓	✓	✓	✓
5.4.0.3	✓	✓	✓	✓	✓	✓	✓
5.4.0.4	✓	✓	✓	✓	✓	✓	✓
StorNext 6.0.x	✓	✓	✓	✓	✓	✓	✓

Red Hat 6 Update 8

See Footnotes: 8, 9, 10, 11

Kernel: 2.6.32-642.EL

	MDC	SNSM	DDM	DLS	SAN	DLC	FX
StorNext 6.0.x	✓	✓	✓	✓	✓	✓	✓

Red Hat 7 Base

See Footnotes: 8, 9, 10, 11

Kernel: 3.10.0-123.EL

	MDC	SNSM	DDM	DLS	SAN	DLC	FX
StorNext 5							
5.0.1							
5.1.0							
5.1.1							
5.2.0.x							
5.2.1					✓	✓	
5.2.2					✓	✓	✓
5.3.0	✓	✓	✓		✓	✓	✓
5.3.1.x	✓	✓	✓		✓	✓	✓
5.3.2.x	✓	✓	✓		✓	✓	✓
5.4.0.1	✓	✓	✓		✓	✓	✓
5.4.0.2	✓	✓	✓		✓	✓	✓
5.4.0.3	✓	✓	✓		✓	✓	✓
5.4.0.4	✓	✓	✓		✓	✓	✓
StorNext 6.0.x	✓	✓	✓	✓	✓	✓	✓

Red Hat 7 Update 1

See Footnotes: 8, 9, 10, 11

Kernel: 3.10.0-229.EL

	MDC	SNSM	DDM	DLS	SAN	DLC	FX
StorNext 5							
5.0.1							
5.1.0							
5.1.1							
5.2.0.x							
5.2.1					✓	✓	
5.2.2					✓	✓	✓
5.3.0	✓	✓	✓		✓	✓	✓
5.3.1.x	✓	✓	✓		✓	✓	✓
5.3.2.x	✓	✓	✓		✓	✓	✓
5.4.0.1	✓	✓	✓		✓	✓	✓
5.4.0.2	✓	✓	✓		✓	✓	✓
5.4.0.3	✓	✓	✓		✓	✓	✓
5.4.0.4	✓	✓	✓		✓	✓	✓
StorNext 6.0.x	✓	✓	✓	✓	✓	✓	✓

Red Hat 7 Update 2

See Footnotes: 8, 9, 10, 11

Kernel: 3.10.0-327.EL

	MDC	SNSM	DDM	DLS	SAN	DLC	FX
StorNext 5							
5.0.1							
5.1.0							
5.1.1							
5.2.0.x							
5.2.1							
5.2.2							
5.3.0							
5.3.1.x					✓	✓	✓
5.3.2.x					✓	✓	✓
5.4.0.1	✓	✓	✓		✓	✓	✓
5.4.0.2	✓	✓	✓		✓	✓	✓
5.4.0.3	✓	✓	✓		✓	✓	✓
5.4.0.4	✓	✓	✓		✓	✓	✓
StorNext 6.0.x	✓	✓	✓	✓	✓	✓	✓

Red Hat 7 Update 3

See Footnotes: 8, 9, 10, 11

Kernel: 3.10.0-514.EL

	MDC	SNSM	DDM	DLS	SAN	DLC	FX
StorNext 6.0.x	✓	✓	✓	✓	✓	✓	✓

SUSE SLES 11

Base

See Footnotes: 8, 9, 10, 12

Kernel: 2.6.27.19-5

	MDC	SNSM	DDM	DLS	SAN	DLC	FX
StorNext 5					✓	✓	
5.0.1					✓	✓	✓
5.1.0	✓	✓	✓	✓	✓	✓	✓
5.1.1			✓	✓	✓	✓	✓
5.2.0.x	✓	✓	✓	✓	✓	✓	✓
5.2.1	✓	✓	✓	✓	✓	✓	✓
5.2.2	✓	✓	✓	✓	✓	✓	✓
5.3.0	✓	✓	✓	✓	✓	✓	✓
5.3.1.x							
5.3.2.x							
5.4.0.1							

SUSE SLES 11

SP1

See Footnotes:

8, 9, 10, 12

Kernel:

2.6.32.12-0

	MDC	SNSM	DDM	DLS	SAN	DLC	FX
StorNext 5			✓	✓	✓	✓	
5.0.1			✓	✓	✓	✓	✓
5.1.0	✓	✓	✓	✓	✓	✓	✓
5.1.1			✓	✓	✓	✓	✓
5.2.0.x	✓	✓	✓	✓	✓	✓	✓
5.2.1	✓	✓	✓	✓	✓	✓	✓
5.2.2	✓	✓	✓	✓	✓	✓	✓
5.3.0	✓	✓	✓	✓	✓	✓	✓
5.3.1.x							
5.3.2.x							
5.4.0.1							

¹² A change to any digit within a release number does not indicate that a new service pack has been released by Novell.

Important Notice Regarding the SUSE Linux Enterprise Server (SLES) Operating System

The following versions of the SUSE Linux Enterprise Server (SLES) operating system will no longer be supported, for both the Metadata Controller (MDC) and Distributed Data Mover (DDM) platforms, effective with the next major release of StorNext software.

• SUSE Linux Enterprise Server (SLES) version 11

• SUSE Linux Enterprise Server (SLES) version 12

SUSE SLES 11

SP2

See Footnotes: 8, 9, 10, 12

Kernel: 3.0.13-0.27

	MDC	SNSM	DDM	DLS	SAN	DLC	FX
StorNext 5			✓	✓	✓	✓	
5.0.1			✓	✓	✓	✓	✓
5.1.0	✓	✓	✓	✓	✓	✓	✓
5.1.1			✓	✓	✓	✓	✓
5.2.0.x	✓	✓	✓	✓	✓	✓	✓
5.2.1	✓	✓	✓	✓	✓	✓	✓
5.2.2	✓	✓	✓	✓	✓	✓	✓
5.3.0	✓	✓	✓	✓	✓	✓	✓
5.3.1.x	✓	✓	✓	✓	✓	✓	✓
5.3.2.x	✓	✓	✓	✓	✓	✓	✓
5.4.0.1	✓	✓	✓	✓	✓	✓	✓
5.4.0.2	✓	✓	✓	✓	✓	✓	✓
5.4.0.3	✓	✓	✓	✓	✓	✓	✓
5.4.0.4	✓	✓	✓	✓	✓	✓	✓
StorNext 6.0.x	✓	✓	✓	✓	✓	✓	✓

Important Notice Regarding the SUSE Linux Enterprise Server (SLES) Operating System

The following versions of the SUSE Linux Enterprise Server (SLES) operating system will no longer be supported, for both the Metadata Controller (MDC) and Distributed Data Mover (DDM) platforms, effective with the next major release of StorNext software.

• SUSE Linux Enterprise Server (SLES) version 11

• SUSE Linux Enterprise Server (SLES) version 12

SUSE SLES 11

SP3

See Footnotes:

8, 9, 10, 12

Kernel: 3.0.76-0.11

	MDC	SNSM	DDM	DLS	SAN	DLC	FX		
StorNext 5									
5.0.1			✓	✓	✓	✓	✓		
5.1.0	✓	✓	✓	✓	✓	✓	✓		
5.1.1			✓	✓	✓	✓	✓		
5.2.0.x	✓	✓	✓	✓	✓	✓	✓		
5.2.1	✓	✓	✓	✓	✓	✓	✓		
5.2.2	✓	✓	✓	✓	✓	✓	✓		
5.3.0	✓	✓	✓	✓	✓	✓	✓		
5.3.1.x	✓	✓	✓	✓	✓	✓	✓		
5.3.2.x	✓	✓	✓	✓	✓	✓	✓		
5.4.0.1	✓	✓	✓	✓	✓	✓	✓		
5.4.0.2	✓	✓	✓	✓	✓	✓	✓		
5.4.0.3	✓	✓	✓	✓	✓	✓	✓		
5.4.0.4	✓	✓	✓	✓	✓	✓	✓		
StorNext 6.0.x	✓	✓	✓	✓	✓	✓	✓		

Important Notice Regarding the SUSE Linux Enterprise Server (SLES) Operating System

The following versions of the SUSE Linux Enterprise Server (SLES) operating system will no longer be supported, for both the Metadata Controller (MDC) and Distributed Data Mover (DDM) platforms, effective with the next major release of StorNext software.

• SUSE Linux Enterprise Server (SLES) version 11

• SUSE Linux Enterprise Server (SLES) version 12

SUSE SLES 11 SP4

See Footnotes: 8, 9, 10, 12

Kernel: 3.0.101-63

	MDC	SNSM	DDM	DLS	SAN	DLC	FX
StorNext 5							
5.0.1							
5.1.0							
5.1.1							
5.2.0.x							
5.2.1							
5.2.2							
5.3.0							
5.3.1.x	✓	✓	✓	✓	✓	✓	✓
5.3.2.x	✓	✓	✓	✓	✓	✓	✓
5.4.0.1	✓	✓	✓	✓	✓	✓	✓
5.4.0.2	✓	✓	✓	✓	✓	✓	✓
5.4.0.3	✓	✓	✓	✓	✓	✓	✓
5.4.0.4	✓	✓	✓	✓	✓	✓	✓
StorNext 6.0.x	✓	✓	✓	✓	✓	✓	✓

Important Notice Regarding the SUSE Linux Enterprise Server (SLES) Operating System

The following versions of the SUSE Linux Enterprise Server (SLES) operating system will no longer be supported, for both the Metadata Controller (MDC) and Distributed Data Mover (DDM) platforms, effective with the next major release of StorNext software.

• SUSE Linux Enterprise Server (SLES) version 11

• SUSE Linux Enterprise Server (SLES) version 12

SUSE SLES 12

Base

See Footnotes:

8, 9, 10, 12

Kernel: 3.12.28-4

	MDC	SNSM	DDM	DLS	SAN	DLC	FX
StorNext 5							
5.0.1							
5.1.0							
5.1.1							
5.2.0.x							
5.2.1					✓	✓	
5.2.2					✓	✓	
5.3.0					✓	✓	
5.3.1.x					✓	✓	
5.3.2.x					✓	✓	
5.4.0.1	✓	✓	✓		✓	✓	
5.4.0.2	✓	✓	✓		✓	✓	
5.4.0.3	✓	✓	✓		✓	✓	
5.4.0.4	✓	✓	✓		✓	✓	
StorNext 6.0.x	✓	✓	✓		✓	✓	

Important Notice Regarding the SUSE Linux Enterprise Server (SLES) Operating System

The following versions of the SUSE Linux Enterprise Server (SLES) operating system will no longer be supported, for both the Metadata Controller (MDC) and Distributed Data Mover (DDM) platforms, effective with the next major release of StorNext software.

• SUSE Linux Enterprise Server (SLES) version 11

• SUSE Linux Enterprise Server (SLES) version 12

SUSE SLES 12

SP1

See Footnotes: 8, 9, 10, 12

Kernel: 3.12.49.11

	MDC	SNSM	DDM	DLS	SAN	DLC	FX
StorNext 5							
5.0.1							
5.1.0							
5.1.1							
5.2.0.x							
5.2.1							
5.2.2							
5.3.0							
5.3.1.x							
5.3.2.x							
5.4.0.1	✓	✓	✓		✓	✓	
5.4.0.2	✓	✓	✓		✓	✓	
5.4.0.3	✓	✓	✓		✓	✓	
5.4.0.4	✓	✓	✓		✓	✓	
StorNext 6.0.x	✓	✓	✓		✓	✓	

Supported as Clients Only

Debian	6.0.5
See Footnotes:	8
Kernel:	n/a

Kernel:	n/a		
	SAN	DLC	FX
StorNext 5	✓	✓	
5.0.1	✓	✓	
5.1.0	✓	✓	
5.1.1	✓	✓	
5.2.0.x	✓	✓	
5.2.1	✓	✓	
5.2.2	✓	✓	
5.3.0	✓	✓	
5.3.1.x	✓	✓	
5.3.2.x	✓	✓	
5.4.0.1	✓	✓	
5.4.0.2	✓	✓	
5.4.0.3	✓	✓	
5.4.0.4	✓	√	

Debian	7.0, 7.1 and 7.2 only		
See Footnotes:	8		
Kernel:	n/a		
	SAN	DLC	FX
StorNext 5			
5.0.1	✓	✓	
5.1.0	✓	✓	
5.1.1	✓	✓	
5.2.0.x	✓	✓	
5.2.1	✓	✓	
5.2.2	✓	✓	
5.3.0	✓	✓	
5.3.1.x	✓	✓	
5.3.2.x	✓	✓	
5.4.0.1	✓	✓	
5.4.0.2	✓	✓	
5.4.0.3	✓	✓	
5.4.0.4	✓	✓	
StorNext 6.0.x	✓	✓	

Debian	7.8		
See Footnotes:	8		
Kernel:	n/a		
	SAN	DLC	FX
StorNext 5			
5.0.1			
5.1.0			
5.1.1			
5.2.0.x			
5.2.1			
5.2.2			
5.3.0	✓	✓	
5.3.1.x	✓	✓	
5.3.2.x	✓	✓	
5.4.0.1	✓	✓	
5.4.0.2	✓	✓	
5.4.0.3	✓	✓	
5.4.0.4	✓	✓	
StorNext 6.0.x	✓	✓	

Debian	8.x		
See Footnotes:	8		
Kernel:	n/a		
	SAN	DLC	FX
StorNext 5			
5.0.1			
5.1.0			
5.1.1			
5.2.0.x			
5.2.1			
5.2.2			
5.3.0	✓	✓	
5.3.1.x	✓	✓	
5.3.2.x	✓	✓	
5.4.0.1	✓	✓	
5.4.0.2	✓	✓	
5.4.0.3	✓	✓	
5.4.0.4	✓	✓	
StorNext 6.0.x	✓	✓	

IMPORTANT NOTE: Effective with the next major release of StorNext software after 6.0, UNIX clients will no longer be available. The 5.4.0.1 versions of AIX, HP-UX and SOLARIS clients will be included with 5.4.0.2, 5.4.0.3, 5.4.0.4, and 6.0.

Oracle Solaris 10, 11, 11.1, 11.2 and 11.3

See Footnotes:

Kernel:	n/a		
	SAN	DLC	FX
StorNext 5	✓	✓	
5.0.1	✓	✓	
5.1.0	✓	✓	
5.1.1	✓	✓	
5.2.0.x	✓	✓	
5.2.1	✓	✓	
5.2.2	✓	✓	
5.3.0	✓	✓	
5.3.1.x	✓	✓	
5.3.2.x	✓	✓	
5.4.0.1	✓	✓	
5.4.0.2	5.4.0.1	5.4.0.1	
5.4.0.3	5.4.0.1	5.4.0.1	
5.4.0.4	5.4.0.1	5.4.0.1	
StorNext 6.0.x	5.4.0.1	5.4.0.1	

IMPORTANT NOTE: Effective with the next major release of StorNext software after 6.0, UNIX clients will no longer be available. The 5.4.0.1 versions of AIX, HP-UX and SOLARIS clients will be included with 5.4.0.2, 5.4.0.3, 5.4.0.4, and 6.0.

IBM AIX	7.1
See Footnotes:	
Kernel·	n/a

Kernei:	n/a		
	SAN	DLC	FX
StorNext 5	✓		
5.0.1	✓		
5.1.0	✓		
5.1.1	✓		
5.2.0.x	✓		
5.2.1	✓		
5.2.2	✓		
5.3.0	✓		
5.3.1.x	✓		
5.3.2.x	✓		
5.4.0.1	✓		
5.4.0.2	5.4.0.1		
5.4.0.3	5.4.0.1		
5.4.0.4	5.4.0.1		
StorNext 6.0.x	5.4.0.1		

IMPORTANT NOTE: Effective with the next major release of StorNext software after 6.0, UNIX clients will no longer be available. The 5.4.0.1 versions of AIX, HP-UX and SOLARIS clients will be included with 5.4.0.2, 5.4.0.3, 5.4.0.4, and 6.0

HPE HP-UX	11i version 3
See Footnotes:	13

Kernel:	n/a		
	SAN	DLC	FX
StorNext 5	✓		
5.0.1	✓		
5.1.0	✓		
5.1.1	✓		
5.2.0.x	✓		
5.2.1	✓		
5.2.2	✓		
5.3.0	✓		
5.3.1.x	✓		
5.3.2.x	✓		
5.4.0.1	✓		
5.4.0.2	5.4.0.1		
5.4.0.3	5.4.0.1		
5.4.0.4	5.4.0.1		
StorNext 6.0.x	5.4.0.1		

CentOS	Red Hat 6.6 equivalent		
See Footnotes:	14		
Kernel:	2.6.32-504.16.2.EL		
	SAN	SAN DLC FX	
StorNext 5	✓	✓	
5.0.1	✓	✓	
5.1.0	✓	✓	
5.1.1	✓	✓	
5.2.0.x	✓	✓	
5.2.1	✓	✓	✓
5.2.2	✓	✓	✓
5.3.0	✓	✓	✓
5.3.1.x	✓	✓	✓
5.3.2.x	✓	✓	✓
5.4.0.1	✓	✓	✓
5.4.0.2	✓	✓	✓
5.4.0.3	✓	✓	✓
5.4.0.4	✓	✓	✓
StorNext 6.0.x	✓	✓	✓

¹⁴ Platform is supported only if the issue can be reproduced on the equivalent Red Hat release. Only the "standard" versions of this platform are supported. "Special" or "optimized" versions are not supported.

¹³ HPE UX 11iv3 requires the "0909 Patch set".

CentOS	Red Hat 6.7 equivalent		
See Footnotes:	14		
Kernel:	2.6.32-573.EL6		
	SAN	FX	
StorNext 5	✓	✓	
5.0.1	✓	✓	
5.1.0	✓	✓	
5.1.1	✓	✓	
5.2.0.x	✓	✓	
5.2.1	✓	✓	
5.2.2	✓	✓	
5.3.0	✓	✓	
5.3.1.x	✓	✓	✓
5.3.2.x	✓	✓	✓
5.4.0.1	✓	✓	✓
5.4.0.2	✓	✓	✓
5.4.0.3	✓	✓	✓
5.4.0.4	✓	✓	✓
StorNext 6.0.x	✓	✓	✓

See Footnotes:	14	·	
Kernel:	3.10.0-229.EL7		
	SAN	DLC	FX
StorNext 5			
5.0.1			
5.1.0			
5.1.1			
5.2.0.x			
5.2.1			
5.2.2			
5.3.0	✓	✓	✓
5.3.1.x	✓	✓	✓
5.3.2.x	✓	✓	✓
5.4.0.1	✓	✓	✓
5.4.0.2	✓	✓	✓
5.4.0.3	✓	✓	✓
5.4.0.4	✓	✓	✓
StorNext 6.0.x	✓	✓	✓

CentOS

Red Hat 7.1 equivalent

CentOS	Red Hat 6.8 equivalent			
See Footnotes:	14			
Kernel:	2.6.32-642.EL6			
	SAN DLC FX			
StorNext 6.0.x	✓	✓	✓	

CentOS	Red Hat 7.2 equivalent		
See Footnotes:	14		
Kernel:	3.10.0-327.4.5.EL7		
	SAN DLC F		FX
StorNext 5			
5.0.1			
5.1.0			
5.1.1			
5.2.0.x			
5.2.1			
5.2.2			
5.3.0	✓	✓	✓
5.3.1.x	✓	✓	✓
5.3.2.x	✓	✓	✓
5.4.0.1	✓	✓	✓
5.4.0.2	✓	✓	✓
5.4.0.3	✓	✓	✓
5.4.0.4	✓	✓	✓
StorNext 6.0.x	✓	✓	✓

Scientific Linux	Red Hat 6 equivalent		
See Footnotes:	14		
Kernel:	n/a		
	SAN	DLC	FX
StorNext 5	✓	✓	
5.0.1	✓	✓	
5.1.0	✓	✓	
5.1.1	✓	✓	
5.2.0.x	✓	✓	
5.2.1	✓	✓	
5.2.2	✓	✓	
5.3.0	✓	✓	
5.3.1.x	✓	✓	
5.3.2.x	✓	✓	
5.4.0.1	✓	✓	
5.4.0.2	✓	✓	
5.4.0.3	√	✓	
5.4.0.4	√	✓	
StorNext 6.0.x	√	✓	

CentOS	Red Hat 7.3 equivalent			
See Footnotes:	14			
Kernel:	3.10.0-514.6.1.el7			
	SAN DLC FX			
StorNext 6.0.x	✓	✓	✓	

Scientific Linux	Red Hat	7 based ve	ersions
See Footnotes:	14		
Kernel:	n/a		
	SAN	DLC	FX
StorNext 5			
5.0.1			
5.1.0			
5.1.1			
5.2.0.x			
5.2.1			
5.2.2			
5.3.0	✓	✓	
5.3.1.x	✓	✓	
5.3.2.x	✓	✓	
5.4.0.1	✓	✓	
5.4.0.2	✓	✓	
5.4.0.3	✓	✓	
5.4.0.4	✓	✓	
StorNext 6.0.x	✓	✓	

Oracle OEL	Red Hat 6 equivalent		
See Footnotes:	14		
Kernel:	n/a		
	SAN	DLC	FX
StorNext 5	✓	✓	
5.0.1	✓	✓	
5.1.0	✓	✓	
5.1.1	✓	✓	
5.2.0.x	✓	✓	
5.2.1	✓	✓	
5.2.2	✓	✓	
5.3.0	✓	✓	
5.3.1.x	✓	✓	
5.3.2.x	✓	✓	
5.4.0.1	✓	✓	
5.4.0.2	√	✓	
5.4.0.3	✓	✓	
5.4.0.4	✓	✓	
StorNext 6.0.x	√	✓	

Oracle OEL	Red Hat 7 equivalent		
See Footnotes:	14		
Kernel:	n/a		
	SAN	DLC	FX
StorNext 5			
5.0.1			
5.1.0			
5.1.1			
5.2.0.x			
5.2.1			
5.2.2			
5.3.0	✓	✓	
5.3.1.x	✓	✓	
5.3.2.x	✓	✓	
5.4.0.1	✓	✓	
5.4.0.2	✓	✓	
5.4.0.3	✓	✓	
5.4.0.4	✓	✓	
StorNext 6.0.x	✓	✓	

Ubuntu Linux	14.04.0 a versions	nd 14.04.1	LTS
See Footnotes:	8		
Kernel:	n/a		
	SAN	DLC	FX
StorNext 5			
5.0.1			
5.1.0			
5.1.1			
5.2.0.x	✓	✓	
5.2.1	✓	✓	
5.2.2	✓	✓	
5.3.0	✓	✓	
5.3.1.x	✓	✓	
5.3.2.x	✓	✓	
5.4.0.1	✓	✓	
5.4.0.2	✓	✓	
5.4.0.3	✓	✓	
5.4.0.4	✓	✓	
StorNext 6.0.x	✓	✓	

Ubuntu Linux 14.04.2 LTS
See Footnotes: 8

Kornol: n/a

Kernel:	n/a		
	SAN	DLC	FX
StorNext 5			
5.0.1			
5.1.0			
5.1.1			
5.2.0.x			
5.2.1	✓	✓	
5.2.2	✓	✓	
5.3.0	✓	✓	
5.3.1.x	✓	✓	
5.3.2.x	✓	✓	
5.4.0.1	✓	✓	
5.4.0.2	✓	✓	
5.4.0.3	✓	✓	
5.4.0.4	✓	✓	
StorNext 6.0.x	√	✓	

8.0 StorNext Client Interoperability

In general back-revision clients (e.g., StorNext 4.3.x clients with StorNext 5.0.x MDC) are supported for the interval of time that is required to upgrade a configuration; with the assumption that once the configuration process is complete, all clients would be at the same level.

The following table describes back-revision clients that are supported with this release.

StorNext Client In	teroperability
StorNext SAN Client Version	Platform
StorNext 5 Release 5.x	Quantum recommends that clients be upgraded along with the MDC. ¹⁵
StorNext 6 Release 6.x	Quantum recommends that clients be upgraded along with the MDC. ¹⁵

Important Notes

- If a StorNext version is not listed, it is not supported as a back-revision client, even during the upgrade process.
- Clients ahead of a particular MDC (for example, StorNext 4.7.1 clients with StorNext 4.7.0 MDC) are not supported.
- The StorNext MDC must be running an equivalent or more recent version of StorNext than the client is running.
- StorNext G300 or DLS Gateways must be running the equivalent version of the StorNext MDC or earlier and must be running equivalent to all of their clients or newer.
- All components (for example, File System, Storage Manager, and so on) installed on the same machine must be running the same version of StorNext.
- The StorNext DDM component must be at the same version at that running on the MDC.

¹⁵ Except as noted to be incompatible in the table in section 6.0

9.0 StorNext Virtual Machine Support

StorNext supports SAN client and DLC clients running within VMware virtual machines where the operating system the client is running on is Linux or Windows. Only 64-bit platforms are supported. The following table shows general compatibility.

Operating System	Kernel or Release	File System SAN Client (See Note A)	File System LAN Client (See Note B)
Windows Server 2008 Server 2012 7 8/8.1	All SN supported service packs in the supported operating systems and platforms table	✓	√
RHEL 6.x	All SN supported service packs in the supported operating systems and platforms table	√	~
RHEL 7.x	All SN supported service packs in the supported operating systems and platforms table	√	√
SLES 11.x	All SN supported service packs in the supported operating systems and platforms table	√	√
SLES 12.x	All SN supported service packs in the supported operating systems and platforms table	√	~

NOTE A: Setting up a SAN client within a virtual machine can be complicated and should be done with great care to avoid data loss.

Guests running StorNext SAN clients have limited cluster functionality due to the use of RDMs to access storage. In particular, snapshots, vMotion, DRS, and fault tolerance are disabled. If these features are required, use DLC clients instead.

To configure StorNext SAN clients in VMware guests, be aware of the following considerations:

- StorNext Data LUNs must be assigned to each StorNext SAN client VM using Raw Device Maps (RDMs) in /Physical Mode/ on a Shared virtual SCSI adapter.
- Never use /Virtual Mode/ RDMs for StorNext LUNs.
- Consult your storage vendor for details on properly configuring the storage for use as VMware vSphere to use raw LUNs as RDMs.
- On each SAN client, generate a raid-strings file by running the command:
 - cvlabel -R > /usr/cvfs/config/raid-strings
 - Then open /usr/cvfs/config/raid-strings in a text editor and change the third column to JBOD for all storage types. This disables StorNext multi-path handling, which is not needed in a guest. The host will handle multi-pathing.

NOTE B: To configure StorNext Distributed LAN Clients in VMware guests, follow the same procedures you would for a physical system. There are no VMware-specific requirements or issues.

10.0 General Compatibility with other Products

Product	Reference
StorNext API (SNAPI)	StorNext 6.0.0 and StorNext 6.0.5 includes StorNext Application Programming (SNAPI) version 2.0.3 to ensure StorNext Storage Manager interoperability with Quantum AEL and Scalar libraries, as well as ongoing support for ISV and end-user applications.
	For your planning purposes, SNAPI will not be supported or distributed effective with the first feature-level release after StorNext 6.0.0. SNAPI 2.0.3 is the latest and final release of SNAPI.
	Beginning with StorNext 4.x, StorNext web services replaced SNAPI. Web services provides all the functionality of SNAPI, plus additional capabilities, and is included with StorNext at no additional charge.
	For compatibility between SNAPI and StorNext, see the StorNext SNAPI 2.0.x Compatibility document available online at http://www.quantum.com/snsdocs .
	StorNext Web Services enables you to run third-party application program interfaces (APIs) with StorNext. To view the latest commands supported by the StorNext Web Services, refer to the <i>StorNext 6 Web Services Guide</i> available online at http://www.quantum.com/snsdocs .
StorNext Partial File Retrieval (PFR)	For compatibility between PFR and StorNext, see the StorNext Partial File Retrieval 1.x Compatibility document available online at http://www.quantum.com/snsdocs .
StorNext Connect	For compatibility between StorNext Connect and StorNext, see the StorNext Connect Compatibility Guide available online at http://qsupport.quantum.com/kb/flare/Content/connect/DocSite/PDFs/PDF Downloads.htm.
StorNext Appliance Controller	For compatibility between StorNext Appliance Controller and StorNext, see the <i>Appliance Controller Compatibility Guide</i> available online at http://www.quantum.com/acc_cg .
Lattus	For compatibility between Lattus and StorNext, see the appropriate Lattus Release Notes document available online at http://www.quantum.com/lattusdocs.
DXi	For compatibility between DXi and StorNext, see the appropriate DXi product page online at http://www.quantum.com/documentation .

11.0 Quantum Appliance Compatibility

- This table uses StorNext M440 as a generic term that applies to the StorNext M441D, M441Q, M445D SSD and M445Q SSD models.
- This table uses StorNext M660 as a generic term that applies to the StorNext M661, M661XL, M662 M662XL and M665 SSD models.
- This table uses G300 as a generic term that applies to the StorNext G301 and G302 models.
- Appliances must be at 5.3.1 in order to update to 5.3.2.
- If your system is running StorNext 5.4.0.3 with Storage Manager, then you must read and execute the instructions in Product Alert Number 48 when upgrading to later versions of StorNext.

Quantum Applia	nce C	ompa	atibili	ty wit	h Sto	rNex	t Rele	eases	;	
Appliance	M330	M440	M660	Pro Foundation	Artico	Xcellis Artico	Xcellis Foundation	Xcellis Workflow Director	Xcellis Workflow Extender	G300
StorNext Release										
StorNext 4.3.2	✓	✓	✓							✓
StorNext 4.3.3	✓	✓	✓							✓
StorNext 4.7										
StorNext 4.7.0.1	✓	✓	✓							✓
StorNext 4.7.1	✓	✓	✓							✓
StorNext 4.7.2										
StorNext 4.7.3										
StorNext 5	✓	✓	✓							✓
StorNext 5 release 5.0.1	✓	✓	✓							✓
StorNext 5 release 5.1.0	✓	✓	✓							✓
StorNext 5 release 5.1.1		✓	✓							✓
StorNext 5 release 5.2.0	✓	✓	✓	✓						✓
StorNext 5 release 5.2.0.1		✓	✓	✓						✓
StorNext 5 release 5.2.0.2					✓					
StorNext 5 release 5.2.1	✓	✓	✓	✓	✓					✓
StorNext 5 release 5.2.2	✓	✓	✓	✓	✓					✓
StorNext 5 release 5.3.0		✓	✓	✓	✓			✓		✓
StorNext 5 release 5.3.1	✓	✓	✓	✓	✓			✓		✓
StorNext 5 release 5.3.1.1								✓		

Quantum Appliar	nce C	ompa	atibili	ty wit	h Sto	rNex	t Rele	eases		
Appliance	M330	M440	M660	Pro Foundation	Artico	Xcellis Artico	Xcellis Foundation	Xcellis Workflow Director	Xcellis Workflow Extender	6300
StorNext 5 release 5.3.2.1		✓	✓	✓	✓			✓		✓
StorNext 5 release 5.4.0.1		✓	✓	✓	✓			✓	✓	✓
StorNext 5 release 5.4.0.2		✓	✓	✓	✓			✓	✓	✓
StorNext 5 release 5.4.0.3 is not supported										
StorNext 5 release 5.4.0.4		✓	✓	✓	✓			✓	✓	✓
StorNext 6.0		✓	✓	✓	✓	✓	✓	✓	✓	✓
StorNext 6.0.1		✓	✓	✓	✓	✓	✓	✓	✓	✓
StorNext 6.0.1.1					✓	✓	✓	✓	✓	
StorNext 6.0.5		✓	✓	✓	✓	✓	✓	✓	✓	✓

12.0 StorNext Browser Support

Important note regarding the Software Online Help: The tool that we used to generate the StorNext Software Online Help in the past, RoboHelp, is not supported with newer versions of supported web browsers. This issue only affects StorNext versions 5.2.0 and earlier. For combinations that are not supported, the StorNext Software Online Help does not display correctly in StorNext GUI.

The following browser versions are supported with StorNext versions 5.2.0 and earlier:

- Firefox version 36 and later
- Google Chrome version 40 and later
- Microsoft Internet Explorer version 10 and later, only if Secure Socket Layer 3.0 is disabled

Quantum recommends using the latest released version of the following browsers for the StorNext GUI:

- Firefox version 51 (or later)
- Microsoft Internet Explorer version 11 (or later)
- Chrome version 56 (or later)
- Safari version 10.12 (or later)
- Microsoft Edge version 38.14393.0.0 (or later)

13.0 Supported Quantum Library and Drive List

				C	Quai	ntun	ı Su	рро	rted	Libr	aries	and T	ape Dr	ives		
Vendor	Libraries	Drive Types ¹⁶	StorNext 5	StorNext 5 Release 5.0.1	StorNext 5 Release 5.1.0	StorNext 5 release 5.1.1	StorNext 5 release 5.2.0.x	StorNext 5 release 5.2.1	StorNext 5 release 5.2.2	StorNext 5 release 5.3.0	StorNext 5 release 5.3.1.x	StorNext 5 release 5.3.2.x	StorNext 5 release 5.4.x	StorNext 6.0.0, 6.0.1, 6.0.1.1	StorNext 6.0.5	Notes
		IBM LTO-2	✓	✓	✓	✓	✓	✓	✓	✓						
		IBM LTO-3	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
		IBM LTO-4	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	LTFS is only available for LTO-
		IBM LTO-5	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	5/6/7 drives which support
ן בי	Scalar i500	IBM LTO-6	✓	✓	✓	✓	✓	✓	✓	✓	✓	√ 17	√ 17	√ 17	√ 17	partitioning. Support for LTFS with LTO-7 drives requires StorNext 5.4.0
Quantum		IDM LTO 7								√ 18	√ 18	√ 17 18	√ 17 18	√ 17 18	√ 17- 18	or later. LTFS is not available for LTO-8.
Que		IBM LTO-7 IBM LTO-8								10	10	17 10	17 10	17 10	17-10	LTO-8 support includes support
		HPE LTO-4	✓	√	√	√	√	√	√	√	√	√	√	√	√	for LTO-M8 formatted media.
		HPE LTO-4	· ✓	→	<u>·</u>	· ·	√	·	√	·	· ·	· ·	· ✓	· ·	· ✓	-
		HPE LTO-5	· ✓	· ·	· ✓	· ·	· /	·	· /	<i>'</i>	·	· ·	· ✓	· ·	· ✓	1
	Scalar	IBM LTO-1	· ✓	· ✓	·	·	· ✓	· ·	·	· ✓	-	-			-	LTFS is only available for LTO-
	i6000 /	IBM LTO-1	✓	✓	✓	√	✓	✓	✓	✓						5/6/7 drives which support

¹⁶ StorNext supports LTO WORM functionality where offered by the drive vendor. Please see the vendor website for more details. ¹⁷ APFO supported

¹⁸ The i500 requires firmware version 8.4 or later to support LTO-7

				(Quar	ntum	ı Su	ppo	rted	Libr	aries	and T	ape Dr	ives		
Vendor	Libraries	Drive Types ¹⁶	StorNext 5	StorNext 5 Release 5.0.1	StorNext 5 Release 5.1.0	StorNext 5 release 5.1.1	StorNext 5 release 5.2.0.x	StorNext 5 release 5.2.1	StorNext 5 release 5.2.2	StorNext 5 release 5.3.0	StorNext 5 release 5.3.1.x	StorNext 5 release 5.3.2.x	StorNext 5 release 5.4.x	StorNext 6.0.0, 6.0.1, 6.0.1.1	StorNext 6.0.5	Notes
	i2000	IBM LTO-3	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	partitioning. Support for LTFS with LTO-7
		IBM LTO-4	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	drives requires StorNext 5.4.0
		IBM LTO-5	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	or later.
		IBM LTO-6	✓	✓	✓	✓	✓	✓	✓	✓	✓	√ 19	√ 19	√ 19	√ 19	LTFS is not available for LTO-8. LTO-8 support includes support
		IBM LTO-7								√ 20	√ 20	✓ 19 20	√ 19 20	√ 19 20	√ 19 20	for LTO-M8 formatted media.
		IBM LTO-8													✓	
		HPE LTO-3	√	√	√	✓	√	√	✓	✓	✓	√	√	√	√	
		HPE LTO-4	√	√	✓	√	√	√	✓	✓	✓	√	√	√	√	
		HPE LTO-5	✓	√	√	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
		HPE LTO-6	√	✓	√	✓	✓	✓	✓	✓	✓	✓	√	✓	✓	1
		Quantum DLT- S4	✓	✓	✓	✓	✓	✓	✓	✓						
		Quantum SDLT 320 SCSI	✓	✓	√	✓	√	✓	✓	✓						
		Quantum SDLT 600 FC	✓	✓	✓	✓	✓	✓	✓	✓						
	Scalar i40 /	HPE LTO-4	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	LTFS is only available for LTO-
	i80	HPE LTO-5	✓	✓	✓	✓	√	✓	✓	✓	✓	✓	✓	✓	✓	5/6/7 drives which support

 $^{^{19}}$ APFO supported i6k only with LTO-6 or LTO-7 20 LTO-7 is not available in the Scalar i2000 library.

				G	Quar	ntum	Su	ppoi	rted	Libr	aries	and T	ape Dr	ives		
Vendor	Libraries	Drive Types ¹⁶	StorNext 5	StorNext 5 Release 5.0.1	StorNext 5 Release 5.1.0	StorNext 5 release 5.1.1	StorNext 5 release 5.2.0.x	StorNext 5 release 5.2.1	StorNext 5 release 5.2.2	StorNext 5 release 5.3.0	StorNext 5 release 5.3.1.x	StorNext 5 release 5.3.2.x	StorNext 5 release 5.4.x	StorNext 6.0.0, 6.0.1, 6.0.1.1	StorNext 6.0.5	Notes
		HPE LTO-6	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	partitioning. Support for LTFS with LTO-7 drives requires
		IBM LTO-5								✓	✓	✓	✓	✓	✓	StorNext 5.4.0 or later.
		IBM LTO-6								✓	✓	✓	✓	✓	✓	
		IBM LTO-7									✓	✓	✓	✓	✓	
		IBM LTO-6											>	>	√	LTFS is only available for LTO- 5/6/7 drives which support
	Scalar i3	IBM LTO-7											√	>	✓	partitioning. Support for LTFS with LTO-7 drives requires StorNext 5.4.0 or later. LTFS is not available for LTO-8.
		IBM LTO-8													~	LTO-8 support includes support for LTO-M8 formatted media.
	Scalar i6	IBM LTO-6											√	~	√	Fibre Channel Drives. LTFS is only available for LTO- 5/6/7 drives which support partitioning.
		IBM LTO-7											✓	✓	✓	Support for LTFS with LTO-7 drives requires StorNext 5.4.0

				C	Quar	ntum	ı Su	ppo	rted	Libr	aries	and T	ape Dr	ives		
Vendor	Libraries	Drive Types ¹⁶	StorNext 5	StorNext 5 Release 5.0.1	StorNext 5 Release 5.1.0	StorNext 5 release 5.1.1	StorNext 5 release 5.2.0.x	StorNext 5 release 5.2.1	StorNext 5 release 5.2.2	StorNext 5 release 5.3.0	StorNext 5 release 5.3.1.x	StorNext 5 release 5.3.2.x	StorNext 5 release 5.4.x	StorNext 6.0.0, 6.0.1, 6.0.1.1	StorNext 6.0.5	Notes
		IBM LTO-8													√	or later. LTFS is not available for LTO-8. LTO-8 support includes support for LTO-M8 formatted media.
		IBM LTO-1	✓	✓	✓	✓	✓	✓	✓	✓						
	Scalar 24	IBM LTO-2	✓	✓	✓	✓	✓	✓	✓	✓						
	Oddiai 24	IBM LTO-3	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
		IBM LTO-4	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	Scalar 50	HP LTO-4	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
		IBM LTO-1	✓	✓	✓	✓	✓	✓	✓	✓						
	Scalar 100	IBM LTO-2	✓	✓	✓	✓	✓	✓	✓	✓						Do not use firmware version
	Couldi 100	IBM LTO-3	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	2.10.0013.
		AIT-2	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
		IBM LTO-2	✓	✓	✓	✓	✓	✓	✓	✓						You must use SDLC ²¹ - SCSI
	Scalar 1000	IBM 3590B1A	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	Target Mode or Native SCSI.
		AIT-1	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	DAS/ACI is not supported.
	Caalan	IBM LTO-1	✓	✓	✓	✓	✓	✓	✓	✓						Must use SDLC ²¹ SCSI Target
	Scalar 10000	IBM LTO-2	✓	✓	✓	✓	✓	✓	✓	✓						Mode or Native SCSI.
	.000	IBM LTO-3	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	DAS/ACI is not supported.

²¹ Scalar Distributed Library Controller has been tested up to version 2.8

				(Qua	ntun	n Su	ppo	rted	Libr	aries	and T	ape Dr	ives		
Vendor	Libraries	46	StorNext 5	StorNext 5 Release 5.0.1	StorNext 5 Release 5.1.0	5	5 release	StorNext 5 release 5.2.1	StorNext 5 release 5.2.2	StorNext 5 release 5.3.0	StorNext 5 release 5.3.1.x	StorNext 5 release 5.3.2.x	StorNext 5 release 5.4.x	StorNext 6.0.0, 6.0.1, 6.0.1.1	StorNext 6.0.5	
	LIDIALIES	Drive Types 16	•	0,	0,	0,	•	•	0,	0,	0,	0,	0	0,	0,	Notes
	Libraries	IBM LTO-4	√	√	√	√	√	√	√	√	√	√	√	√	√	Notes
	Libraries															Notes
	Libraries	IBM LTO-4	✓	✓	✓	✓	✓	✓	✓	✓	√	√	√	✓	√	Notes
	Libraries	IBM LTO-4 IBM LTO-5	✓ ✓	✓ ✓	✓ ✓	✓ ✓	✓ ✓	✓ ✓	✓	✓ ✓	✓ ✓	✓ ✓	✓ ✓	✓ ✓	✓ ✓	Notes
	Libraries	IBM LTO-4 IBM LTO-5 AIT-2	✓ ✓	✓ ✓	✓ ✓	✓ ✓	✓ ✓	✓✓	✓ ✓	✓ ✓ ✓	✓ ✓ ✓	✓ ✓ ✓	✓ ✓ ✓	✓ ✓ ✓	✓ ✓ ✓	Notes
	PX500	IBM LTO-4 IBM LTO-5 AIT-2 AIT-2 WORM	✓ ✓ ✓	✓ ✓ ✓	✓ ✓ ✓	\[\lambda \] \[\lambda \] \[\lambda \]	✓ ✓ ✓	* * * * *	✓ ✓ ✓	✓ ✓ ✓	✓ ✓ ✓	√	✓ ✓ ✓	✓ ✓ ✓	✓ ✓ ✓	Notes
	Listatios	IBM LTO-4 IBM LTO-5 AIT-2 AIT-2 WORM IBM 3592	✓ ✓ ✓ ✓	✓ ✓ ✓ ✓	✓ ✓ ✓ ✓	✓ ✓ ✓ ✓ ✓ ✓ ✓	✓ ✓ ✓ ✓	\[\lambda \] \[\lambda \] \[\lambda \]	✓ ✓ ✓ ✓ ✓ ✓ ✓	✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓	✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓	✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓	✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓	✓ ✓ ✓ ✓	✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓	Notes
	Listatios	IBM LTO-4 IBM LTO-5 AIT-2 AIT-2 WORM IBM 3592 HPE LTO-3	✓✓✓✓	✓✓✓✓	✓ ✓ ✓ ✓	✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓	\(\)		✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓	✓✓✓✓✓	✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓	✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓	✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓	✓ ✓ ✓ ✓	✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓	Notes

14.0 Supported Non-Quantum Library and Drive List

Large, complex StorNext Storage Manager solutions support the use of non-Quantum software such as Oracle StorageTek Automated Cartridge System Library Software (ACSLS) for centralized, multi-platform tape library management. Additionally, Storage Manager supports physical library partitioning to improve the utilization and logical sharing of enterprise-level tape libraries.

logio	logical sharing of enterprise-level tape libraries.														
		Non-Quar	ntum	Sup	opor	ted I	_ibra	ries	and	Тар	e Dr	ives			
Vendor	Libraries	Drive Types ¹⁶	StorNext 5	StorNext 5 Release 5.0.1	StorNext 5 Release 5.1.0	StorNext 5 release 5.1.1	StorNext 5 release 5.2.0.x	StorNext 5 release 5.2.1	StorNext 5 release 5.2.2	StorNext 5 release 5.3.0	StorNext 5 release 5.3.1.x	StorNext 5 release 5.3.2.x	StorNext 5 release 5.4.x	StorNext 6.0.x	Notes
		IBM LTO-2	✓	✓	✓	✓	✓	✓	✓	✓					
	PV136T	IBM LTO-3	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
l _		IBM LTO-4	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Dell	PowerVaul	IBM LTO-3	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
_	t ML6000	IBM LTO-4	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	6010 / 6020	IBM LTO-5	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	/ 6030	IBM LTO-6	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	ESL E	HPE LTO-3	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	Series	HPE LTO-4	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
		HPE LTO-5	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
		HPE LTO-2	✓	✓	✓	✓	✓	✓	✓	✓					
	MSL 6000	HPE LTO-3	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
		HPE LTO-4	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
		HPE LTO-2	✓	✓	✓	✓	✓	✓	✓	✓					
	MSL G3	HPE LTO-3	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	Series 2024 / 4048	HPE LTO-4	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	/ 8096	HPE LTO-5	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
H		HPE LTO-6	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
_	ENAL E	HPE LTO-3	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	EML E Series	HPE LTO-4	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	301100	HPE LTO-5	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
		HPE LTO-4	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	ESL G3	HPE LTO-5	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	ESL GS	HPE LTO-6	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
		HPE LTO-7										✓	✓	✓	
		HPE LTO-3	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	MSL 6480	HPE LTO-4	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
		HPE LTO-5	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

	Non-Quantum Supported Libraries and Tape Drives														
		Non-Qua	ntum	Sup	opor	ted I	Libra	ries	and	Тар	e Dr	ives			
Vendor	Libraries	Drive Types ¹⁶	StorNext 5	StorNext 5 Release 5.0.1	StorNext 5 Release 5.1.0	StorNext 5 release 5.1.1	StorNext 5 release 5.2.0.x	StorNext 5 release 5.2.1	StorNext 5 release 5.2.2	StorNext 5 release 5.3.0	StorNext 5 release 5.3.1.x	StorNext 5 release 5.3.2.x	StorNext 5 release 5.4.x	StorNext 6.0.x	Notes
		HPE LTO-6	✓	✓	✓	✓	√	✓	✓	√	√	✓	✓	✓	
	TS3100	IBM LTO-7									√	√	✓	✓	
		IBM LTO-2	√	√	√	√	√	√	√	√	√	√	√	✓	
		IBM LTO-3	√	√	√	√	√	√	√	√	√	√	√	√	
		IBM LTO-4	√	√	√	√	√	√	√	√	√	√	√	√	
		IBM LTO-5	√	√	√	√	√	√	√	√	√	√	√	√	
		IBM LTO-6	✓	✓	✓	✓	✓	✓	✓	✓	√	√	√	√	
	TS3500	IBM LTO-7									✓	✓	✓	✓	
		IBM 3592 (J1A and E05)	√	√	√	√	√	√	√	√	√	√	√	√	
_		IBM TS1120	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
BM		IBM TS1130	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
_		IBM TS1140	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
		IBM TS1150									✓	✓	✓	✓	
		IBM LTO-3	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
		IBM LTO-4	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	TS3310	IBM LTO-5	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
		IBM LTO-6	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
		IBM LTO-7									✓	✓	✓	✓	
		TS1140									22	22	22	22	
	TS4500	TS1150									✓	✓	✓	✓	
		IBM LTO-7									✓	✓	✓	✓	
		T9840C	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
		T9840D	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
ည	1 190 /	T10000A ²⁵	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
<u> </u>	L180 / L700 /	T10000B ²⁵	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
308	L1400	HPE LTO-3	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Oracle SCSI / FC		HPE LTO-4	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
rac		IBM LTO-3	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
0		IBM LTO-4	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	SL3000	T9840C	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	3_000	T9840D	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

_

²² The tape device and library have been tested individually, but this specific combination has not been tested. Although not formally tested, this drive and library pair is expected to work without any issues.

	Non-Quantum Supported Libraries and Tape Drives														
		Non-Quai	ntum	Sup	ppor	ted I	Libra	iries	and	Гар	e Dr	ives			
Vendor	Libraries	Drive Types ¹⁶	StorNext 5	StorNext 5 Release 5.0.1	StorNext 5 Release 5.1.0	StorNext 5 release 5.1.1	StorNext 5 release 5.2.0.x	StorNext 5 release 5.2.1	StorNext 5 release 5.2.2	StorNext 5 release 5.3.0	StorNext 5 release 5.3.1.x	StorNext 5 release 5.3.2.x	StorNext 5 release 5.4.x	StorNext 6.0.x	Notes
		T10000A ²⁵	√	√	√	√	√	√	√	√	√	√	√	√	
		T10000B 25	√	√	√	√	√	√	√	√	√	√	√	√	
		T10000C ²³ ²⁵	√	√	✓	√	√	√	√	√	√	√	√	√	
		T10000D ²⁵	√	✓	√	√	√	√	√	√	√	√	✓	✓	
		HPE LTO-3	√		√	√	√	√	√	√	√	√			
		HPE LTO-4	√	✓	√	√	√	√	✓	√	√	√	√	✓	
		HPE LTO-5	√		√	√	-	√		√	√	√		✓	
		HPE LTO-6	√	✓	√	√	√	√	√	√	√	√	√		
		IBM LTO-3	√		√	√	√	√	√	√	√	√	√	✓	
		IBM LTO-4	√	✓	√	√	√	√	✓	✓	√	√	∨	<u>✓</u>	
		IBM LTO-5	∨	∨	∨	∨	∨	∨	∨	∨	∨	∨	∨	<u>√</u>	
		IBM LTO-6	∨	∨	∨	∨	∨	∨	∨	∨	∨	∨	∨	✓	
		HPE LTO-3	∨	∨	∨	∨	∨	∨	∨	∨	∨	∨	∨	<u>√</u>	
		HPE LTO-4	∨	∨	∨	∨	∨	∨	∨	∨	∨	∨	∨	<u>√</u>	
	SL500	HPE LTO-5	✓	√	▼	√	▼	▼	√	√	▼	▼	▼	<u>✓</u>	
		IBM LTO-3	∨	∨	∨	∨	∨	∨	√	∨	∨	∨	∨	√	
		IBM LTO-4	∨	∨	∨	∨	∨	∨	√	√	∨	∨	∨	√	
		IBM LTO-5	∨	∨	∨	∨	∨	∨	∨	∨	∨	∨	∨	<u>√</u>	
	SL150	HPE LTO-5 HPE LTO-6	√	√	√	√	√	√	√	√	√	√	√	<u>✓</u>	
	9740	Sun/STK 9840	· /	· ✓	· ✓	· ✓	· ✓	· ✓	· ✓	· ✓	· ✓	· ·	· ✓	· ✓	Obsolete
×		T9840C	√	√	✓	✓	✓	✓	✓	✓	✓	✓	✓	<u>·</u>	Obsolete
8.2.		T9840D	√	√	✓	√	✓	✓	√	√	√	√	✓	√	
7.3 / .x / 8		T10000A ²⁵	√	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
S. 7.	L180 /	T10000A	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
ACSLS .0.x / 8.1	L700 /	HPE LTO-3	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
AC 3.0.	L1400	HPE LTO-4	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Oracle ACSLS 7.3/7.3.1/8.0.x/8.1.x/8.2.x/8.3.4/8.4.4		IBM LTO-3	√	✓	√	√	✓	✓	√	✓	✓	✓	✓	✓	
Oracle 7.3.1 / 8		IBM LTO-4	√	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

²³ When using a T10000 Rev C drive with ACSLS 8.0.x, please assure that your cleaning cartridges are supported in that ACSLS release. Quantum has found a case where a cleaning cartridge isn't recognized by ACSLS 8.0.x and reports incorrect media type in the StorNext GUI. This report of incorrect media type does not prevent the cleaning cartridge from being successfully used, but can cause operator confusion. ACSLS 8.1.x corrects the issue.

²⁴ ACSLS versions are supported on Solaris installs only, ACSLS 8.3 is the first version that supports Oracle Linux. ²⁵ When using T10000 drives, the STK library parameter "Fastload" must be set to "OFF".

	Non-Quantum Supported Libraries and Tape Drives														
Vendor	Libraries	Drive Types ¹⁶	StorNext 5	StorNext 5 Release 5.0.1	StorNext 5 Release 5.1.0	StorNext 5 release 5.1.1	StorNext 5 release 5.2.0.x	StorNext 5 release 5.2.1	StorNext 5 release 5.2.2	StorNext 5 release 5.3.0	StorNext 5 release 5.3.1.x	StorNext 5 release 5.3.2.x	StorNext 5 release 5.4.x	StorNext 6.0.x	Notes
		T9840C	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
		T9840D	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
		T10000A ²⁵	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
		T10000B 25	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	√	
		T10000C ^{23 25}	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
		T10000D 25	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
		HPE LTO-3	✓	✓	✓	✓	✓	√	√	✓	✓	✓	✓	✓	
		HPE LTO-4	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	SL3000	HPE LTO-5	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	Requires minimum of ACSLS 7.3.1
		HPE LTO-6	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	Requires minimum of ACSLS 8.2
		IBM LTO-3	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
		IBM LTO-4	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
		IBM LTO-5	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	Requires minimum of ACSLS 7.3.1
		IBM LTO-6	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	Requires minimum of ACSLS 8.2 Requires minimum of
		IBM LTO-7								√		-	✓	√	ACSLS 8.4
		HPE LTO-3	√	√	√	√	√	√	√		√	√	- 1	√	
		HPE LTO-4	✓	✓	✓	✓	✓	✓	✓	√	✓	✓	✓	✓	Requires minimum of
	SL500	HPE LTO-5	√	√	√	√	√	√	√	√	√	√	√	√	ACSLS 7.3.1
		IBM LTO-3	∨	∨	∨	∨	∨	∨	∨	∨	∨	∨	∨	∨	
		IBM LTO-4	✓	√	∨	∨	▼	✓	√	∨	√	∨	∨	√	Requires minimum of ACSLS 7.3.1
		T9840C	✓	✓	✓	✓	✓	√	√	✓	√	√	✓	√	7.0000 7.0.1
		T9840D	√	√	✓	√	√	√	√	√	√	√	√	√	
		T10000A ²⁵	√	√	✓	· ✓	√	· ✓	√	√	√	√	✓	· ✓	
		T10000A	· ✓	✓	✓	√	✓	√	√	√	✓	✓	✓	· ✓	
	CI OEAA	T10000B	√	√	✓	√	√	√	√	√	√	√	√	√	
	SL8500	T10000D 25	· ✓	✓	✓	√	✓	√	√	√	✓	✓	✓	· ✓	
		HPE LTO-3	√	√	✓	√	✓	√	√	√	√	√	✓	√	
		HPE LTO-4	√	√	✓	· ✓	√	√	√	√	✓	✓	✓	√	
		HPE LTO-4	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	Requires minimum of ACSLS 7.3.1

	Non-Quantum Supported Libraries and Tape Drives														
Vendor	Libraries	Drive Types ¹⁶	StorNext 5	StorNext 5 Release 5.0.1	StorNext 5 Release 5.1.0	StorNext 5 release 5.1.1	StorNext 5 release 5.2.0.x	StorNext 5 release 5.2.1	StorNext 5 release 5.2.2	StorNext 5 release 5.3.0	StorNext 5 release 5.3.1.x	StorNext 5 release 5.3.2.x	StorNext 5 release 5.4.x	StorNext 6.0.x	Notes
		HPE LTO-6	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	Requires minimum of ACSLS 8.2
		IBM LTO-3	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
		IBM LTO-4	✓	✓	✓	✓	✓	✓	✓	√	✓	✓	✓	✓	
		IBM LTO-5	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	Requires minimum of ACSLS 7.3.1
		IBM LTO-6	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	Requires minimum of ACSLS 8.2
		IBM LTO-7										✓	✓	✓	Requires minimum of ACSLS 8.4
	CI 450	HPE LTO-5	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	SL150	HPE LTO-6	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	Requires minimum of ACSLS 8.2
tar		IBM LTO-3	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Qualstar	XLS	IBM LTO-4	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
ğ		IBM LTO-5	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Sony	Petasite CSM-200	IBM LTO-4 (T1600)	✓	>	✓	\	✓	✓	✓	\	✓	✓	✓	>	
	T Continu	LTO-3	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	LTO-7 with T50e library only. See Bulletin 46
gic	T-Series T50e /	LTO-4	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	Library firmware is known as BlueScale
Spectra Lo	T120 / T200 /	LTO-5	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	11. Both L700 emulation and Native
ect	T380 / T680 /	LTO-6	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	mode are supported.
Sp	T950 / T-	LTO-7											✓	✓	In L700 emulation mode, LTO-5 drives
	Finity	IBM TS1140	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	√	report as LTO-4, limiting the capacity of the media.

15.0 Advanced Path Failover Compatibility

Using the StorNext Distributed Data Mover (DDM) feature can boost overall data movement performance by distributing data movement across multiple systems. To ensure data integrity, StorNext software requires the use of SCSI Persistent Reservations on StorNext metadata controllers and DDM clients. As SCSI persistent reservations control access to shared devices, such as tape, Storage Manager retains control of the tape device paths, even if a failover were to occur.

StorNext Storage Manager supports IBM Advanced Path Failover (APFO) for redundant paths to IBM LTO-6 and LTO-7 tape devices. Using IBM APFO requires SCSI Persistent Reservations to be turned off, as device reservations are handled by IBM's software, not StorNext.

- StorNext 6.0.5 (or later) supports LTO-8 tape devices paired with Quantum Scalar i3, i6, i500 and i6000 libraries.
- StorNext 5 supports IBM Advanced Path Failover (APFO) with IBM LTO-6 and LTO-7 tape devices installed in Scalar i500 and i6k libraries.

Notes:

- LTFS tape format is not currently supported with Advanced Path Failover.
- The IBM **lin_tape** driver version 3.0.10 and version 3.0.18 are not compatible with StorNext and cannot be used.
- See the **lin_tap.ReadMe** for detailed operating system version support and for a listing of supported and non-supported **Join Driver**.
- If data path failover is not enabled, you must enable SCSI-3 persistent reservation for IBM APFO **lin_tape** driver in the **lin_tape.conf**.

For additional information on how to configure SCSI Persistent Reservations, see the Tape Devices and Persistent SCSI Reserve section in the *StorNext User's Guide* available online at http://www.quantum.com/snsdocs.

	Minimum Firmware / Driver Version Compatibility											
		StorNext F	Release									
	StorNext 5 Release 5.3.2	StorNext 5 Release 5.4.0.x	StorNext 6.0.0, 6.0.1, 6.0.1.1	StorNext 6.0.5								
IBM lin_tape driver version	3.0.8-1	3.0.12	3.0.21	3.0.23								
Quantum Scalar i3 and i6	n/a	n/a	111G.GS002 – i1.1.1	150G.GS080 – i2.1								
Quantum Scalar i6k	735Q.GS04400 - i12.4.1	735Q.GS04400 - i12.4.1	741Q.GS00900 - i12.4.6	760Q.GS25000 – i13								
Quantum Scalar i500	670G.GS003 – i8.4	670G.GS003 – i8.4	670G.GS003 – i8.6	700G.GS013 - i9								
IBM LTO-6 Drive FH	G350	G350	G9P4	H990								
IBM LTO-7 Drive HH	n/a	n/a	G9Q5	HB81								
IBM LTO-7 Drive FH	G340	G5S0	G9Q4	HB80								
IBM LTO-8 Drive HH	n/a	n/a	n/a	HB83								

	Minimum Firm	ware / Driver Version C	Compatibility	
IBM LTO-8 Drive FH	n/a	n/a	n/a	HB82

Supported Operating	Environments for IBM Advanced Path Failover
APFO Driver Version	Operating System
3.0.8	RHEL 6, RHEL 7, SLES 11
3.0.12	RHEL 6, RHEL 7, SLES 11, SLES 12
3.0.19	RHEL 6, RHEL 7, SLES 11, SLES 12
3.0.21	RHEL 6, RHEL 7, SLES 11, SLES 12
3.0.23	RHEL 6, RHEL 7, SLES 11, SLES 12

16.0 Xsan Compatibility

	Apple Xsan Server with StorNext FX Clients											
Xsan controller version	StorNext 6.0.x	StorNext 5.4.x	StorNext 5.3.2.x	StorNext 5.3.1	StorNext 5.3.0	StorNext 5.2.2	StorNext 5.2.0 or 5.2.1					
Xsan 5												
Xsan 4.1												
Xsan 4					✓	✓	✓					

	StorNext MDC with Apple Xsan Clients												
StorNext controller version	Xsan 5.0.1 macOS 10.13	Xsan 5 MacOS 10.12	Xsan 4.1 macOS 10.11	Xsan 4 macOS 10.10									
StorNext 6.0.5	✓	✓											
StorNext 6.0.0, 6.0.1, 6.0.1.1		✓											
StorNext 5.4.x		✓	✓	✓									
StorNext 5.3.2.x		✓	✓	✓									
StorNext 5.3.1			✓	✓									
StorNext 5.3.0			✓	✓									
StorNext 5.2.2			√	√									
StorNext 5.2.0 / 5.2.1				✓									

17.0 StorNext Security

StorNext supports two security models:

- · UNIX permission bits
- Access Control Lists (ACL)

Although StorNext supports both security models, the version used depends on the client platform and system configuration settings within StorNext.

Display and manipulation of ACLs for NFSv4 is only supported when the NFS server is a StorNext Appliance running StorNext 5 release 5.4.0.1 or later.

See the StorNext Documentation Center for complete details on StorNext security.

18.0 Network File System Support

With some limitations outlined below, StorNext supports Network File System versions 3 and 4.

Limitations

- NFSv3 is not supported in an NFS-HA configuration.
- NFS-HA is only supported on the Xcellis Workflow Director.
- Due to issues with lock recovery that may occur after rebooting, file locking is not supported when concurrently sharing the same StorNext file system from multiple NFS servers.
- Concurrently sharing the same StorNext file system from multiple NFS servers is not supported when used with the StorNext NAS option.
- NFSv4 is only supported when using Linux NFS servers.
- The display and manipulation of ACLs is not supported for NFSv3. However, ACLs are still enforced.
- The display and manipulation of ACLs for NFSv4 is only supported when the NFS server is a StorNext Appliance running StorNext version 5.4.0.1 or later releases.
- NFSv4 delegations are not supported.

19.0 Data snpolicy Replication Compatibility

The following table provides compatibility between StorNext releases when using the replication feature.

To ensure maximum snpolicy replication performance, Quantum strongly recommends that all systems utilizing snpolicy replication upgrade to StorNext 4.7.1 (or later).

Note: If a source replication policy uses deduplication, the target policy must also use deduplication.

				Tarç	get Re	elease)		
Source Release	StorNext 4.2	StorNext 4.3	StorNext 4.7.x	StorNext 5 release 5.0.x	StorNext 5 release 5.1.x	StorNext 5 release 5.2.x	StorNext 5 release 5.3.x	StorNext 5 release 5.4.x	StorNext 6.0.x
StorNext 4.2	✓								
StorNext 4.3		✓	✓	✓	√				
StorNext 4.7.x		✓	<	<	✓	<	<	✓	
StorNext 5 release 5.0.x		✓	✓	✓	√	✓	✓	✓	✓
StorNext 5 release 5.1.x		✓	✓	√	✓	✓	✓	✓	✓
StorNext 5 release 5.2.x			✓	✓	✓	✓	✓	✓	✓
StorNext 5 release 5.3.x			✓	✓	✓	✓	✓	✓	✓
StorNext 5 release 5.4.x			✓	✓	✓	✓	✓	✓	✓
StorNext 6.0.x				✓	✓	✓	✓	✓	✓

20.0 FlexTier™ License Compatibility

Public Cloud											
	License	StorNext 5.4.x	StorNext 6.0.0, 6.0.1, 6.0.1.1	StorNext 6.0.5							
		FlexTier									
Provider	Service	(formerly FlexStor)	riex	Tier							
	Simple Storage Service	✓	✓	✓							
	Infrequent Access	✓	✓	✓							
Amazon S3	Glacier	✓	✓	✓							
	Gov Cloud	✓	✓	✓							
	Commercial Cloud Services	✓	✓	✓							
Microsoft	Azure	✓	✓	✓							
Google (S3 Compatible)	Cloud Platforms		✓	✓							

Private Cloud				
License		StorNext 5.4.x	StorNext 6.0.0, 6.0.1, 6.0.1.1	StorNext 6.0.5
		FlexTier	-1	
Provider	Platform	(formerly FlexStor)	FlexTier	
NetApp	Webscale StorageGRID	✓	✓	✓
ІВМ	Cloud Object Storage (Cleversafe)	✓	✓	✓
SCALITY	RING	✓	✓	✓
HGST ActiveScale	P100 / X100			✓

21.0 FlexSync™ Compatibility

- FlexSync is a Quantum-licensed, stand-alone feature that you must purchase separately from StorNext.
- FlexSync requires StorNext 6.0 (or later), and is available for StorNext Xcellis appliances, Xcellis Workflow Extenders, or M-Series Appliances (M440, M660).

See the <u>FlexSync Documentation Center</u> for additional details regarding prerequisites, system guidelines, and compatibility.

22.0 QXS Interoperability and Certification

- All Quantum-branded QXS-3/4/6 fibre channel (RC models with fibre channel connectivity kit) and iSCSI QXS-6 models can be used as primary storage in a StorNext environment.
- Usage of virtual volumes is not recommended for StorNext file systems used for bandwidth intensive streaming workloads.

• Thin-provisioned and tiered storage devices should not be used if performance or consistency of performance is expected or desired.

See the QXS Interoperability Matrix for complete details on StorNext interoperability with StorNext Software.