



Product	Scalar i3
Firmware Version	272G.GS022
Date	Sepetember 2021

### Contents

About This Release	. 2
General Information	2
Security Scanners	
Compatibility and Support	. 5
Resolved Issues	. 7
Known Issues	. 8
Documentation	9
Contacting Quantum	9

© 2021 Quantum Corporation. All rights reserved. Your right to copy this manual is limited by copyright law. Making copies or adaptations without prior written authorization of Quantum Corporation is prohibited by law and constitutes a punishable violation of the law. ActiveScale, DXi, DXi Accent, FlexSync, FlexTier, iLayer, Lattus, Quantum, The Quantum Logo, QXS, Scalar, StorNext, SuperLoader, Vision, and Xcellis are either registered trademarks or trademarks of Quantum Corporation and its affiliates in the United States and/or other countries. All other trademarks are the property of their respective owners. Quantum specifications are subject to change.

Sepetember 2021 6-68530-29 RevA

### **About This Release**

The Scalar i3 272G.GS022 release is a maintenance releases that details bug fixes described in the Resolved Issues section. Refer to Known Issues for additional information.

#### What's New in this Release?

This release supports the Scalar i3 library. Features in this library include:

- Updated LTO-7 and LTO-8 drive firmware.
- Bug fixes (see Resolved Issues on page 7).

### **General Information**

- After a library firmware upgrade, Quantum recommends that you clear your web browser cache before logging back into the WebGUI.
- Veeam Tape Server iBlades If Microsoft Hyper-V or any other hypervisor is installed on the Veeam
  Tape Server iBlade, the Virtual Machine (VM) Operating System (OS) will not be able to see the blade
  FC/SAS controller. This will cause the Scalar drives to no longer be visible to the VM OS.
- Bridging and teaming interfaces on the Veeam Tape Server iBlade is not supported and can cause network card issues.
- Some snapshots, logs or RAS tickets are as large as 12 MBs. If you have automated notifications
  configured for RAS tickets and logs you may not receive them if your email does not allow attachments of
  this size.
- To help maintain system integrity and for marketing purposes, Quantum regularly collects system
  information through automatic emails (ScalarTelemetrics). These emails contain configuration and status
  information only, and do not contain any customer data stored on the system. See WebGUI Default
  Settings for information on how to disable telemetrics.
- The Web client places a cookie on the user's computer to provide the last user's credentials upon login.
   The cookie only collects the user's credentials to facilitate login, and does not collect any other user data.
- Any application or browser connecting over https must support TLS v1.2.
- To help maintain system integrity and for marketing purposes, Quantum regularly collects system
  information through automatic emails and cloud based telemetric auto support. These emails and auto
  support telemetric data contain configuration and status information only, and do not contain any
  customer data stored on the system.

#### **Email Support**

To disable this function:

Scalar i3 Release Notes 2

- 1. Log on to your library.
- 2. Select **Notifications** from the **Navigation** menu.
- 3. Select the check box next to scalartelemetrics@quantum.com in the North Panel.
- 4. From the **Operation** panel, select **Reports**.
- 5. Click the trash can icon next to **Scalar Telemetrics** report.
- 6. Click Apply, then Close.

#### **Auto Support**

To disable this function:

- 1. Log on to your library.
- 2. Select Notifications from the Navigation menu.
- 3. Select the check box next to Auto Support in the North Panel.
- To disable RAS tickets, select RAS Tickets From the Operation panel.
- 5. De-select the **Enable Auto Support Communication** check box.
- 6. Click Apply, then Close.
- 7. From the **Operation** panel, select **Reports**.
- 8. Click the trash can icon next to **Scalar Telemetrics** report.
- 9. Click Apply, then Close.

#### WebGUI Default Settings

Scalar i3 software is installed with certain default settings. This section outlines those default settings. Review this section to determine if any of the default settings need to be changed to make your library run more effectively.

WebGUI Path	Option	Default Setting
User Access > Settings	Local User Interface (LUI) Access	Open Access
	Admin/User Access: Session Timeout	15 minutes
	Services Access: Enable Remote Access	Disabled
	Enable Local Service Port Login: Access Window	Indefinite
Notifications > RAS Tickets	Enable RAS Tickets	Enabled
	Severity	All options Enabled
	Severity	All options Ena

Scalar i3 Release Notes 3

WebGUI Path	Option	Default Setting
Notifications > Reports	Scalar Telemetrics	Once you have an email server configured, telemetrics is enabled for monthly automatic emails. To disable, click the <b>Trash</b> icon.
Library > IE Area	I/E Slots	0 (zero)
Library > Settings	Operational Parameters: Automatic Inventory	Enabled
	Operational Parameters: LibraryAssisted Drive Unload	Disabled
	Operational Parameters: Logical Drive Serial Number Addressing	Enabled
	Operational Parameters: Logical System Addressing	Disabled
	IE Assignment Mode: Local UI Assignment	Enabled
System > Network	Connectivity / SSH	Disabled
System > Notifications	Email Reports / Auto Support	Enabled
System > Settings	Library-Initiated Website Access	Enabled

# **Security Scanners**

Quantum tests with the following Security scanners against the library:

• Nessus Professional v. 8.10.1

Scalar i3 Release Notes 4

# Compatibility and Support

## **Encryption Key Management Drive Support**

The following table provides the encryption key management drive support.

Encryption Option	IBM LTO-6 (HH)	IBM LTO-7 (HH)	IBM LTO-8 (HH)
Application ManagedEncryption	Supported	Supported	Supported
SKM	Requires SKM	Requires SKM	Requires SKM
	License	License	License
KMIP Key Manager <sup>1</sup>	Requires EKM	Requires EKM	Requires EKM
	License	License	License

<sup>&</sup>lt;sup>1</sup> Only SafeNet, IBM SKLM and Thales encryption key servers are supported KMIP configurations It is recommended that Safenet servers be updated to v8.6.0.

## Web Browser Support

The Scalar i3 WebGUI supports the following web browsers. Quantum recommends upgrading to the latest version of the browser.

Web Browser	Versions Supported
Internet Explorer	Not supported.
Google Chrome	Version 51 and above.
Mozilla Firefox	Version 55 and above.
Apple Safari	Recommend latest version.
Microsoft Edge	Recommend using Edge version 79 or greater, using the Chromium engine. This resolves issues of slowness found in the older versions of Edge.

# Firmware Compatibility

For the most up-to-date information on the latest qualified library and drive firmware, please visit: <a href="https://www.quantum.com/serviceandsupport/softwareanddocumentationdownloads/si3/index.asp">https://www.quantum.com/serviceandsupport/softwareanddocumentationdownloads/si3/index.asp</a>
x

#### **Drive Firmware**

SAS Half High (HH) Drive Types	Latest Firmware Version
IBM LTO-6 (SAS) (HH) 6 Gb <sup>1</sup>	KAJ9
IBM LTO-7 (SAS) (HH) 6 Gb <sup>1</sup>	N4Q1
IBM LTO-8 (SAS) (HH) 6 Gb <sup>1</sup>	N4Q1
<sup>1</sup> Bundled with library firmware.	

FC Half High (HH) Drive Types	Latest Firmware Version
IBM LTO-6 (FC) (HH) 8 Gb <sup>1</sup>	KAJ9
IBM LTO-7 (FC) (HH) 8 Gb <sup>1</sup>	N4Q1
IBM LTO-8 (FC) (HH) 8 Gb <sup>1</sup>	N4Q1
<sup>1</sup> Bundled with library firmware.	

## iBlade BaseOS Versions for Library Code

The following table provides the iBlade BaseOS versions for the 272G.GS022 library code.

iBlade OS	Customer BaseOS Download From Web	iBlade SLFTS Application
Linux	1.3.0-6	2.10.0-40
Windows	1.3.0-4	N/A

## Tape Drive Driver Versions

The following table provides the tape drive driver versions.

Drive Manufacturer	os	Approved Version	Comments
IBM	Linux	3.0.31	Includes APFO & LTO8
IBM	Windows	6.2.6.6	Includes APFO & LTO8
IBM	AIX	13.0.22.0	Includes APFO & LTO8

The latest tape driver versions are located at:

 $\frac{\text{https://www.quantum.com/serviceandsupport/softwareanddocumentationdownloads/si3/index.asp}{\text{x}}$ 

## Resolved Issues

This release of Scalar 272G.GS022 firmware resolved the following issues (bug fixes).

Change Request Number	Service Request Number	Description	Resolution
SQ-1917		LTO-7 and LTO-8 drive firmware updates (N4Q1).	Enhancement.
SQ-1989	623689	Library firmware upgrade causes robotics issues.	Fixed.
SQ-2037	626694	LDAP issues after firmware upgrade.	Fixed.

# **Known Issues**

This release of Scalar 272G.GS022 firmware has the following known issues:

Change Request Number	Description	Workaround
SQ-354	Unable to log into the RUI when a demo is	Works as designed. All users are logged
(62032)	running.	out when a demo is running.
SQ-355	Medium Changer Device driver not started	Restart the iBlade. In the WebGUI, go to WebGUI > Devices. Select Devices
(65020)	after Scalar upgrade, causing Veeam to see Veeam Tape Server iBlade as offline	Restart from the right navigation meUntestednu.
SQ-556	Veeam updates fail when using Service Port.	Use customer ports for updates.
SQ-1193	Manual drive cleaning fails when I/E station is open and closed while cleaning is in process.	Close error and repeat manual drive cleaning.
SQ-1792	Reverse tunnel does not allow a service user to access the library.	In the WebGUI, go to User Access > User Access Settings > Service Access. Select the Enable Remote Login check box.

## **Documentation**

The following documents are currently available for the Scalar i3.

Document Number	Document Title
6-68528	Scalar i3 Documentation Center
6-68528	SNMP Reference Guide (in Documentation Center)
6-68528	SCSI Reference Guide (in Documentation Center)
6-68528	Web Services API Guide (in Documentation Center)
6-68528	muCommander - Quantum Edition User's Guide (in Documentation Center)
6-67320	Scalar i3 & i6 Open Source Software Licenses

# **Contacting Quantum**

More information about this product is available on the Service and Support website at <a href="https://www.quantum.com/support">www.quantum.com/support</a>. The Service and Support Website contains a collection of information, including answers to frequently asked questions (FAQs). You can also access software, firmware, and drivers through this site.

For further assistance, or if training is desired, contact Quantum:

Quantum Technical Assistance Center in the USA:	+1 800-284-5101
For additional contact information:	www.quantum.com/support
To open a Service Request:	www.quantum.com/osr